

**Fermann**  
UK Quality



**antarctica**  
cold buffet station

# antartica

If you are looking for an attractive and functional display or a high quality unit with exclusive styling and the most advanced technical features, **Fermann** has the solution.

**Fermann** introduces **antartica** models which offers a unique selection of distinctly styled **Cold Buffet Station** display units. Available in a variety of designs, sizes and configurations, allowing you to choose the best desired unit.




If you're looking for a reliable and stylish cold buffet counter, which offers excellent value for money and quality of unit, then **antartica** is the perfect solution.

**antartica** 's cold buffet stations allows gentle flow of convected air maintains pre-chilled food at a safe regulated temperature.

**antartica** also provides a wide range of optional extras for the displays of units






In addition, **antartica** offers stylish and robust free-standing displays, which as the name implies are design to stand alone without the need for a counter or countertop.



## **antartica** features:


- Excellent value for money.
- Variaty of designs to choose from
- Electronic defrost for continuous 24 hour operation
- Operated by new energy saving electronic controllers.

antartica



**FF-1-1**

0.9m SS304 Tabletop 2 Layers Warming Deli Case	1.2m SS304 Tabletop 2 Layers Warming Deli Case
Dimension	900 x 470 x 680mm
Package Dimension	980 x 510 x 800mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	70L
Power Consumption	765W
Net Weight	50KG
	1200 x 470 x 680mm
	1280 x 510 x 800mm
	40°C ~ 75°C
	/
	94L
	805W
	65KG



**FF-3-1**

0.9m Tabletop 2 Layers Warming Deli Case	1.2m Tabletop 2 Layers Warming Deli Case
Dimension	900 x 540 x 790mm
Package Dimension	980 x 580 x 930mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	115L
Power Consumption	765W
Net Weight	80KG
	1200 x 540 x 790mm
	1280 x 580 x 930mm
	40°C ~ 75°C
	/
	155L
	805W
	90KG



FF-1-1  
FF-1-2  
FF-1-3



FF-1-4  
FF-1-5  
FF-1-6

<b>FF-1-3</b>	<b>FF-1-4</b>	<b>FF-1-5</b>	<b>FF-1-6</b>
1.5m SS304 Tabletop 2 Layers Warming Deli Case	0.9m SS304 Tabletop 2 Layers Refrigerated Deli Case	1.2m SS304 Tabletop 2 Layers Refrigerated Deli Case	1.5m SS304 Tabletop 2 Layers Refrigerated Deli Case
1500 x 470 x 680mm	900 x 470 x 680mm	1200 x 470 x 680mm	1500 x 470 x 680mm
1580 x 510 x 800mm	980 x 510 x 800mm	1280 x 510 x 800mm	1580 x 510 x 800mm
40°C ~ 75°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
/	R134a	R134a	R134a
118L	70L	94L	118L
845W	340W	475W	495W
75KG	83KG	90KG	105KG



FF-3-1  
FF-3-2  
FF-3-3



FF-3-4  
FF-3-5  
FF-3-6

<b>FF-3-3</b>	<b>FF-3-4</b>	<b>FF-3-5</b>	<b>FF-3-6</b>
1.5m Tabletop 2 Layers Warming Deli Case	0.9m Tabletop 2 Layers Refrigerated Deli Case	1.2m Tabletop 2 Layers Refrigerated Deli Case	1.5m Tabletop 2 Layers Refrigerated Deli Case
1500 x 540 x 790mm	900 x 540 x 790mm	1200 x 540 x 790mm	1500 x 540 x 790mm
1580 x 580 x 930mm	980 x 580 x 930mm	1280 x 580 x 930mm	1580 x 580 x 930mm
40°C ~ 75°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
/	R134a	R134a	R134a
200L	115L	155L	200L
845W	420W	465W	550W
110KG	90KG	105KG	120KG



FF-4-1  
FF-4-2  
FF-4-3

40°C - 75°C

FF-4-4  
FF-4-5  
FF-4-6

2~8°C

**FF-4-1**

**FF-4-2**

**FF-4-3**

0.9m Tabletop 2 Layers Warming Deli Case	1.2m Tabletop 2 Layers Warming Deli Case	1.5m Tabletop 2 Layers Warming Deli Case
Dimension 900 x 540 x 790mm	1200 x 540 x 790mm	1500 x 540 x 790mm
Package Dimension 980 x 580 x 930mm	1280 x 580 x 930mm	1580 x 580 x 930mm
Temperature Range 40°C ~ 75°C	40°C ~ 75°C	40°C ~ 75°C
Refrigerant /	/	/
Capacity 140L	190L	240L
Power Consumption 765W	805W	845W
Net Weight 90KG	105KG	120KG

**FF-4-4**

**FF-4-5**

**FF-4-6**

0.9m Tabletop 2 Layers Refrigerated Deli Case	1.2m Tabletop 2 Layers Refrigerated Deli Case	1.5m Tabletop 2 Layers Refrigerated Deli Case
---	---	---

Dimension 900 x 540 x 790mm	1200 x 540 x 790mm	1500 x 540 x 790mm
Package Dimension 980 x 580 x 930mm	1280 x 580 x 930mm	1580 x 580 x 930mm
Temperature Range 2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
Refrigerant R134a	R134a	R134a
Capacity 140L	190L	240L
Power Consumption 420W	465W	550W
Net Weight 90KG	105KG	120KG



FF-5-1  
FF-5-2  
FF-5-3




**FF-5-1**

**FF-5-2**

**FF-5-3**

	0.9m Tabletop 3 Layers Refrigerated Deli Case	1.2m Tabletop 3 Layers Refrigerated Deli Case	1.5m Tabletop 3 Layers Refrigerated Deli Case
Dimension	900 x 540 x 940mm	1200 x 540 x 940mm	1500 x 540 x 940mm
Package Dimension	980 x 580 x 1170mm	1280 x 580 x 1170mm	1580 x 580 x 1170mm
Temperature Range	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
Refrigerant	R134a	R134a	R134a
Capacity	165L	224L	283L
Power Consumption	500W	545W	630W
Net Weight	106KG	124KG	141KG





**FF-6-1**

0.9m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	900 x 730 x 1200mm
Package Dimension	970 x 770 x 1350mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	225L
Power	608W
Net Weight	165KG



**FF-8-1**

1.5m Floor Standing 3 Layers Refrigerated & Warming Deli Case

Dimension	1500 x 730 x 1200mm
Package Dimension	1570 x 770 x 1350mm
Temperature Range	2°C ~ 8°C / 40°C ~ 75°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	195Lx2
Power	1353W
Net Weight	240KG

**FF-8-2**

1.8m Floor Standing 3 Layers Refrigerated & Warming Deli Case

Dimension	1800 x 730 x 1200mm
Package Dimension	1870 x 770 x 1350mm
Temperature Range	2°C ~ 8°C / 40°C ~ 75°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	238Lx2
Power	1426W
Net Weight	275KG



FF-6-1  
FF-6-2  
FF-6-3



FF-6-4  
FF-6-5

**FF-6-2**

1.2m Floor Standing 3 Layers  
Refrigerated Deli Case

1200 x 730 x 1200mm  
1270 x 770 x 1350mm  
2°C ~ 8°C  
R134a  
Danfoss  
310L  
749W  
200KG

**FF-6-3**

1.5m Floor Standing 3  
Layers Refrigerated Deli  
Case

1500 x 730 x 1200mm  
1570 x 770 x 1350mm  
2°C ~ 8°C  
R134a  
Danfoss  
395L  
900W  
225KG

**FF-6-4**

1.8m Floor Standing 3  
Layers Refrigerated Deli  
Case

1800 x 730 x 1200mm  
1870 x 770 x 1350mm  
2°C ~ 8°C  
R134a  
Danfoss  
480L  
956W  
260KG

**FF-6-5**

2.4m Floor Standing 3 Layers  
Refrigerated Deli Case

2400 x 730 x 1200mm  
2470 x 770 x 1350mm  
2°C ~ 8°C  
R134a  
Danfoss  
650L  
1290W  
330KG



FF-8-3  
FF-8-4



FF-8-5  
FF-8-6

**FF-8-3**

2.4m Floor Standing 3 Layers  
Refrigerated & Warming Deli  
Case

2400 x 730 x 1200mm  
2470 x 770 x 1350mm  
2°C ~ 8°C / 40°C ~ 75°C  
R134a  
Danfoss  
323Lx2  
1651W  
345KG

**FF-8-4**

1.5m Floor Standing 3  
Layers Refrigerated &  
Warming Deli Case

1500 x 840 x 1200mm  
1570 x 880 x 1350mm  
2°C ~ 8°C / 40°C ~ 75°C  
R134a  
Danfoss  
225Lx2  
1353W  
265KG

**FF-8-5**

1.8m Floor Standing 3  
Layers Refrigerated &  
Warming Deli Case


1800 x 840 x 1200mm  
1870 x 880 x 1350mm  
2°C ~ 8°C / 40°C ~ 75°C  
R134a  
Danfoss  
275Lx2  
1426W  
300KG

**FF-8-6**

2.4m Floor Standing 3 Layers  
Refrigerated & Warming Deli  
Case

2400 x 840 x 1200mm  
2470 x 880 x 1350mm  
2°C ~ 8°C / 40°C ~ 75°C  
R134a  
Danfoss  
375Lx2  
1651W  
375KG


## FF-7-1 & FF-11-1



**FF-7-1**

**0.9m Floor Standing  
3 Layers Refrigerated  
Deli Case**

Dimension	900 x 840 x 1200mm
Package Dimension	970 x 880 x 1350mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	260L
Power	608W
Net Weight	180KG



**FF-11-1**

**0.9m Floor Standing 4 Layers  
Refrigerated Deli Case**

Dimension	900 x 750 x 1350mm
Package Dimension	970 x 790 x 1520mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	349L
Power	639W
Net Weight	210KG



FF-7-1

FF-7-2



FF-7-3  
FF-7-4  
FF-7-5

FF-7-2	FF-7-3	FF-7-4	FF-7-5
1.2m Floor Standing 3 Layers Refrigerated Deli Case	1.5m Floor Standing 3 Layers Refrigerated Deli Case	1.8m Floor Standing 3 Layers Refrigerated Deli Case	2.4m Floor Standing 3 Layers Refrigerated Deli Case
1200 x 840 x 1200mm	1500 x 840 x 1200mm	1800 x 840 x 1200mm	2400 x 840 x 1200mm
1270 x 880 x 1350mm	1570 x 880 x 1350mm	1870 x 880 x 1350mm	2470 x 880 x 1350mm
2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
R134a	R134a	R134a	R134a
Danfoss	Danfoss	Danfoss	Danfoss
360L	460L	560L	760L
749W	900W	956W	1290W
215KG	245KG	280KG	355KG



FF-11-1  
FF-11-2  
FF-11-3




FF-11-4  
FF-11-5

FF-11-2	FF-11-3	FF-11-4	FF-11-5
1.2m Floor Standing 4 Layers Refrigerated Deli Case	1.5m Floor Standing 4 Layers Refrigerated Deli Case	1.8m Floor Standing 4 Layers Refrigerated Deli Case	2.4m Floor Standing 4 Layers Refrigerated Deli Case
1200 x 750 x 1350mm	1500 x 750 x 1350mm	1800 x 750 x 1350mm	2400 x 750 x 1350mm
1270 x 790 x 1520mm	1570 x 790 x 1520mm	1870 x 790 x 1520mm	2470 x 790 x 1520mm
2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
R134a	R134a	R134a	R134a
Danfoss	Danfoss	Danfoss	Danfoss
491L	633L	776L	1060L
816W	937W	1108W	1400W
250KG	290KG	330KG	410KG



FF-9-1  
FF-9-2  
FF-9-3



#### FF-9-1

1.2m Floor Standing 4 Layers Refrigerated Deli Case

Dimension	1200 x 730 x 1500mm
Package Dimension	1270 x 770 x 1650mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	560L
Power	867W
Net Weight	280KG

#### FF-9-2

1.5m Floor Standing 4 Layers Refrigerated Deli Case

Dimension	1500 x 730 x 1500mm
Package Dimension	1570 x 770 x 1650mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	710L
Power	1072W
Net Weight	320KG


#### FF-9-3

1.8m Floor Standing 4 Layers Refrigerated Deli Case

Dimension	1800 x 730 x 1500mm
Package Dimension	1870 x 770 x 1650mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	860L
Power	1120W
Net Weight	360KG



FF-10-1  
FF-10-2  
FF-10-3



#### FF-10-1

0.9m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	900 x 720 x 1200mm
Package Dimension	970 x 770 x 1330mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	302L
Power	590W
Net Weight	185KG

#### FF-10-2

1.2m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	1200 x 720 x 1200mm
Package Dimension	1270 x 770 x 1330mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	417L
Power	723W
Net Weight	225KG

#### FF-10-3

1.5m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	1500 x 720 x 1200mm
Package Dimension	1570 x 770 x 1330mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	532L
Power	860W
Net Weight	260KG



FF-13-1  
FF-13-2  
FF-13-3  
FF-13-4  
FF-13-5




	FF-13-1	FF-13-2	FF-13-3	FF-13-4	FF-13-5
--	---------	---------	---------	---------	---------

0.9m Floor Standing 3 Layers Refrigerated Deli Case	1.2m Floor Standing 3 Layers Refrigerated Deli Case	1.5m Floor Standing 3 Layers Refrigerated Deli Case	1.8m Floor Standing 3 Layers Refrigerated Deli Case	2.4m Floor Standing 3 Layers Refrigerated Deli Case
900 x 780 x 1200mm	1200 x 780 x 1200mm	1500 x 780 x 1200mm	1800 x 780 x 1200mm	2400 x 780 x 1200mm
970 x 830 x 1330mm	1270 x 830 x 1330mm	1570 x 830 x 1330mm	1870 x 830 x 1330mm	2470 x 830 x 1330mm
2°C ~ 8°C				
R134a	R134a	R134a	R134a	R134a
Danfoss	Danfoss	Danfoss	Danfoss	Danfoss
269L	372L	474L	576L	780L
583W	712W	848W	909W	1106W
185KG	225KG	260KG	300KG	375KG



# antartica



Address: 27 Old Gloucester Street, London,  
WC1N 3AX, United Kingdom  
Tel. No. : +44 20 3868 7910  
E-mail: [info@fermann.uk](mailto:info@fermann.uk)  
[www.fermann.uk](http://www.fermann.uk)