

Fermann
UK Quality



CATERING EQUIPMENT



www.fermann.uk



- All stainless steel body, strong and durable
- Electronic direct spark ignition, flame failure safety device for each control
- Heavy duty gas burner with individual switch and thermostat
- Adjustable legs
- Devices are preset to city gas, natural gas or LPG
- Key-component from famous international suppliers



- All stainless steel body, strong and durable
- Electronic direct spark ignition, flame failure safety device for each control
- Heavy duty gas burner with individual switch and thermostat
- Adjustable legs
- Devices are preset to city gas, natural gas or LPG
- Key-component from famous international suppliers



FB909 Bain Marie With Cabinet

Dimensions: 700x750x910mm
Power: 54650BTU/Hour
Weight: 78Kg

Model: FB709

Dimensions: 800x900x970mm
Power: 54765BTU/Hour
Weight: 90Kg

Model: EB909/EB709

Dimensions: 700x750x910mm
800x900x970mm

Volts: 380V
Power: 5KW/6KW
Weight: 72Kg/88Kg



FF908 2-Tank Fryer (2-Basket) With Cabinet

Dimensions: 700x750x910mm
Power: 106106BTU/Hour
Weight: 102Kg

Model: FF708

Dimensions: 800x900x970mm
Power: 106106BTU/Hour
Weight: 120Kg

Model: EF908/EF708

Dimensions: 700x750x910mm
800x900x970mm

Volts: 380V
Power: 24KW
Weight: 78Kg/94Kg



FF910 Pasta Cooker With Cabinet

Dimensions: 700x750x910mm
Power: 80778BTU/Hour
Weight: 82Kg

Model: FP710

Dimensions: 800x900x970mm
Power: 80778BTU/Hour
Weight: 100Kg

Model: FP910/FP910

Dimensions: 700x750x910mm
800x900x970mm

Volts: 380V
Power: 18KW
Weight: 78Kg/88Kg



FR906 Griddle (2/3 Flat & 1/3 Grooved) With Cabinet

Dimensions: 700x750x910mm
Power: 40389BTU/Hour
Weight: 95Kg

Model: FR706

Dimensions: 800x900x970mm
Power: 40389BTU/Hour
Weight: 125Kg

Model: FG906/FG706

Dimensions: 700x750x910mm
800x900x970mm

Volts: 380V
Power: 9KW/15KW
Weight: 118Kg/125Kg





FZ911 Gas French Hot Plate Cooker With Oven

Dimensions: 700x750x910mm
Power: 49815BTU/Hour
Weight: 122Kg



Model: FZ711

Dimensions: 800x900x970mm
Power: 49815BTU/Hour
Weight: 165Kg



FO100 Direct Heating Soup Stove

Dimensions: 800x900x850+120(60)mm
Power: 25KW / 85300BTU
Volume: 100L
Weight: 137Kg



Model: FO100

Dimensions: 800x900x850+120(60)mm
Volts: 380V
Power: 18KW
Volume: 100L
Weight: 122Kg



FS Tilting Braising Pan

Dimensions: 800x900x850+120(60)mm
Power: 24KW / 81888BTU
Volume: 80L
Weight: 140Kg



Model: FS

Dimensions: 800x900x850+120(60)mm
Volts: 380V
Power: 12KW
Volume: 80L
Weight: 135Kg



FL907 Lava Rock Grill With Cabinet

Dimensions: 700x750x910mm
Power: 49288BTU/Hour
Weight: 113Kg



Model: FL707

Dimensions: 800x900x970mm
Power: 58188BTU/Hour
Weight: 137Kg



Model: FL907

Dimensions: 700x750x910mm
Volts: 380V
Power: 9KW
Weight: 96Kg



Model: FL707

Dimensions: 800x900x970mm
Volts: 380V
Power: 12KW
Weight: 128Kg





F905A 4-Plate Electric Cooker With Oven

Dimensions: 800x900x970mm
Volts: 380V
Power: 20.8KW
Weight: 128Kg



F998 6-Plate Electric Cooker With Oven

Dimensions: 1200x900x970mm
Volts: 380V
Power: 28.8KW
Weight: 179Kg



F912 4-Plate Electric Cooker with Cabinet

Dimensions: 700x750x910mm
Volts: 380V
Power: 9.2KW
Weight: 56Kg



Model: F712

Dimensions: 700x750x910mm
Volts: 380V
Power: 13.6KW
Weight: 94Kg



Model: F912E

Dimensions: 800x900x970mm
Volts: 380V
Power: 9.2KW
Weight: 64Kg



Model: F712E

Dimensions: 800x900x970mm
Volts: 380V
Power: 14KW
Weight: 104Kg





F905 4-Burner Gas Range With Oven

Dimensions: 700x750x910mm
Power: 64348BTU/Hour
Weight: 117Kg

Model: F705

Dimensions: 800x900x970mm
Power: 64348BTU/Hour
Weight: 156Kg



F996 6-Burner Gas Range With Gas Oven

Dimensions: 1050x750x910mm
Power: 88992.8 BTU/Hour
Weight: 155Kg

Model: F776

Dimensions: 1200x900x970mm
Power: 88992.8 BTU/Hour
Weight: 208Kg



F992 4-Burner Gas Range&Griddle With Gas Oven

Dimensions: 1050x750x910mm
Power: 79500BTU/Hour
Weight: 171Kg

Model: F772

Dimensions: 1200x900x970mm
Power: 79500BTU/Hour
Weight: 212Kg



FR605 Counter Top 4-Burner Gas Range

Dimension: 600x612x470mm
Switches: 4
Burners: 4
Weight: 39Kg



FG606 Counter Top Gas Griddle

Dimension: 600x612x470mm
Switches: 2
Burners: 2
Weight: 49Kg



FF608 Counter Top Gas Lava Rock Grill

Dimension: 600x612x470mm
Switches: 2
Burners: 2
Weight: 33Kg



FL607 Counter Top Gas Lava Rock Grill

Dimension: 650x612x470mm
Switches: 2
Burners: 4
Weight: 60Kg





FP605E Counter Top 4-Plate Electric Cooker

Dimension: 600x600x350mm
Volts: 220-240V/50-60Hz
Power: 8KW
Weight: 43Kg



FG606 Counter Top Counter Top Electric Griddle

Dimension: 600x600x350mm
Volts: 220-240V/50-60Hz
Power: 5KW
Weight: 43Kg



FF608 Counter Top Electric Fryer

Dimension: 600x600x430mm
Volts: 220-240V/50-60Hz
Power: 3.25+3.25KW
Weight: 25Kg





FL607 Counter Top Electric Lava Rock Grill

Dimension: 650x600x350mm
Volts: 220-240V/50-60Hz
Power: 7.2KW
Weight: 38Kg



FB609 Counter Top Electric Bain Marie

Dimension: 700x600x350mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Weight: 24Kg



FN610 Counter Top Electric Pasta Cooker

Dimension: 600x600x350mm
Volts: 220-240V
Power: 6KW
Weight: 22.6Kg





FF81 1-Tank 1-Basket Electric Fryer

Dimension: 290x440x320mm
Volts: 220V-240V/50-60Hz
Power: 2.5KW
Volume: 6L
Weight: 4.6Kg



Model: FF88

Dimension: 280x440x360mm
Volts: 220V-240V/50-60Hz
Power: 2.8KW
Volume: 8L
Weight: 5.6Kg



FF81A 1-Tank 1-Basket Electric Fryer

Dimension: 460x280x310mm
Volts: 220V-240V/50-60Hz
Power: 2.5KW
Volume: 6L
Weight: 4.5Kg



FF82 2-Tank 2-Basket Electric Fryer

Dimension: 570x440x320mm
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW
Volume: 12L
Weight: 8.6Kg



Model: FF83(1-Tank 2-Basket)

Dimension: 540x460x320mm
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW
Volume: 12L
Weight: 8.4Kg



Model: FF89 (2-Tank 2-Basket)

Dimension: 560x440x360mm
Volts: 220V-240V/50-60Hz
Power: 2.8+2.8KW
Volume: 16L
Weight: 10Kg



FF82A 2-Tank 2-Basket Electric Fryer

Dimension: 570x460x310mm
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW
Volume: 12L
Weight: 9Kg



Model: FF83A

Dimension: 540x460x310mm
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW
Volume: 12L
Weight: 9Kg





FF4L 1-Tank 1-Basket Electric Fryer

Dimension: 210x380x305mm
Volts: 220V-240V/50-60Hz
Power: 2KW
Volume: 4L
Weight: 5Kg



Model: FF6L

Dimension: 265x425x300mm
Volts: 220V-240V/50-60Hz
Power: 2.5KW
Volume: 6L
Weight: 5.6Kg



FF4L-2 2-Tank 2-Basket Electric Fryer

Dimension: 430x380x305mm
Volts: 220V-240V/50-60Hz
Power: 2+2KW
Volume: 4L+4L
Weight: 9.2Kg



Model: FF6L-2

Dimension: 540x425x300mm
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW
Volume: 6L+6L
Weight: 10.2Kg



FF8L 1-Tank 1-Basket Electric Fryer

Dimension: 265x425x350mm
Volts: 220V-240V/50-60Hz
Power: 3.25KW
Volume: 8L
Weight: 4.6Kg



Model: FF11L

Dimension: 325x450x350mm
Volts: 220V-240V/50-60Hz
Power: 3.5KW
Volume: 11L
Weight: 11.4Kg



FF8L-2 2-Tank 2-Basket Electric Fryer

Dimension: 540x425x350mm
Volts: 220V-240V/50-60Hz
Power: 3.25+3.25KW
Volume: 8L+8L
Weight: 11Kg



Model: FF11L-2

Dimension: 670x450x350mm
Volts: 220V-240V/50-60Hz
Power: 3.5+3.5KW
Volume: 11L+11L
Weight: 15Kg





FF12L 1-Tank 1-Basket Electric Fryer

Dimension: 290x550x410mm
Volts: 220V-240V/50-60Hz
Power: 3.5KW
Volume: 12L
Weight: 9.8Kg



FF12L-2 2-Tank 2-Basket Electric Fryer

Dimension: 580x550x410mm
Volts: 220V-240V/50-60Hz
Power: 7KW
Volume: 12L+12L
Weight: 17.6Kg



FF101 1-Tank 1-Basket Electric Fryer

Dimension: 280x460x325mm
Volts: 220V-240V/50-60Hz
Power: 4KW
Volume: 10L
Weight: 7.5Kg



Model: EF131

Dimension: 310x480x360mm
Volts: 220V-240V/50-60Hz
Power: 4.5KW
Volume: 13L
Weight: 8Kg



Model: EF161

Dimension: 340x540x410mm
Volts: 220V-240V/50-60Hz
Power: 5KW
Volume: 16L
Weight: 10Kg



FF102 2-Tank 2-Basket Electric Fryer

Dimension: 570x460x325mm
Volts: 220V-240V/50-60Hz
Power: 4+4KW
Volume: 10L+10L
Weight: 11Kg



Model: EF132

Dimension: 630x480x360mm
Volts: 220V-240V/50-60Hz
Power: 4.5+4.5KW
Volume: 13L+13L
Weight: 15Kg



Model: EF162

Dimension: 690x540x410mm
Volts: 220V-240V/50-60Hz
Power: 5+5KW
Volume: 16L+16L
Weight: 20Kg





FF779 1-Tank 1-Basket Fryer

Dimensions: 340x600x600mm
Power: 5KW/Hour
Weight: 30Kg

Model: EF779

Dimensions: 340x600x600mm
Volts: 220V-240V/50-60Hz
Power: 4.5KW
Weight: 28Kg



FF780 2-Tank 2-Basket Fryer

Dimensions: 640x600x600mm
Power: 10KW/Hour
Weight: 65Kg

Model: EF780

Dimensions: 640x600x600mm
Volts: 220V-240V/50-60Hz
Power: 4.5+4.5KW
Weight: 60Kg



FF212 2-Tank 2-Basket Electric Fryer

Dimension: 840x510x810mm
Volts: 220V-240V/50-60Hz
Power: 4.5+4.5KW
Volume: 21L+21L
Weight: 34Kg



FF-906C 2-Tank 2-Basket Electric Fryer

Dimension: 780x500x600mm
Volts: 220V-240V/50-60Hz
Power: 3.5+3.5KW
Volume: 10L+10L
Weight: 32Kg



FF772 2-Tank 2-Basket Gas Fryer

Dimension: 600x650x550mm
Power: 9KW/Hour
Volume: 12.5L+12.5L
Weight: 40Kg





FF71A 1-Tank 1-Basket Gas Fryer

Dimension: 300x576x429mm
Power: 3KW/11000BTU
Volume: 8L
Weight: 11Kg



FF72A 2-Tank 2-Basket Gas Fryer

Dimension: 616x610x500+32mm
Power: 6KW / 20470BTU
Volume: 16L
Weight: 27Kg



FF74 1-Tank/2-Tank 2-Basket Gas Fryer

Dimensions: 590x500x960mm
Power: 36TU/hr
Volume: 14L+14L
Weight: 32.8Kg



Model: FF75

Dimensions: 590x500x960mm
Volts: 36TU/hr
Power: 14L+14L
Weight: 32.8Kg



Due to the limitation page space, model fails to display, Welcome consultation or visit our factory



FF84 1-Tank/2-Tank 2-Basket Electric Fryer

Dimension: 590x500x960mm
Volts: 220V-240V/50-60Hz
Power: 8KW
Volume: 14L+14L
Weight: 24Kg



Model: FF85

Dimension: 590x500x960mm
Volts: 220V-240V/50-60Hz
Power: 8KW
Volume: 14L+14L
Weight: 24Kg





FF71 1-Tank 1-Basket Gas Fryer

Dimension: 290x520x480mm
Power: 18.9TU/hr
Volume: 6L
Weight: 10.8Kg



FF72 1-Tank/2-Tank 2-Basket Gas Fryer

Dimensions: 570x520x480mm
Power: 37.8TU/hr
Volume: 6L+6L
Weight: 18.4Kg

Model: FF73
Dimensions: 550x520x480mm
Volts: 37.8TU/hr
Power: 12L
Weight: 14.8Kg



FF24PR Electric Pressure Fryer

Dimension: 1030x510x1300mm
Volts: 380V
Power: 13.5KW
Volume: 24L
Weight: 135Kg



FF16PR Electric Pressure Fryer

Dimension: 430x500x540mm
Volts: 220-240V/50-60Hz
Power: 3KW
Volume: 16L
Weight: 25Kg



Hot Sale



FF26 1-Tank 2-Basket Electric Fryer

Dimension: 420x830x1080mm
Volts: 380V
Power: 10KW
Volume: 30L
Weight: 38Kg



Hot Sale



FF26-2 2-Tank 4-Basket Electric Fryer

Dimension: 800x830x1080mm
Volts: 380V
Power: 20KW
Volume: 30L+30L
Weight: 58Kg



Ultimate Edition



FF181C 1-Tank 1-Basket Gas Fryer

Dimension: 342x585x1025mm
Volume: 18L
Weight: 25.3Kg



Ultimate Edition



FF182C 2-Tank 2-Basket Gas Fryer

Dimension: 680x585x1025mm
Volume: 18x2L
Weight: 43Kg





FG818	Electric Griddle
Dimension:	550x450x240mm
Volts:	220V-240V/50-60Hz
Power:	3KW
Weight:	25Kg
Chromiumplated Surface Can Be Tailor Made Too	



FG820	Electric Griddle
Dimension:	730x470x240mm
Volts:	220V-240V/50-60Hz
Power:	4.4KW
Weight:	34Kg
Chromiumplated Surface Can Be Tailor Made Too	



FG818A	Electric Griddle
Dimension:	550x450x235mm
Volts:	220V-240V/50-60Hz
Power:	3KW
Weight:	23Kg



FG821	Electric Griddle
Dimension:	550x450x230mm
Volts:	220V-240V/50-60Hz
Power:	3KW
Weight:	23Kg
Chromiumplated Surface Can Be Tailor Made Too	



FG822	Electric Griddle
Dimension:	730x470x240mm
Volts:	220V-240V/50-60Hz
Power:	4.4KW
Weight:	32Kg
Chromiumplated Surface Can Be Tailor Made Too	



FG606 Electric Griddle

Dimension: 550x380x240mm
Volts: 220V-240V/50-60Hz
Power: 2.4KW
Weight: 24Kg



FG706 Electric Griddle

Dimension: 720x460x240mm
Volts: 220V-240V/50-60Hz
Power: 3.5KW
Weight: 33Kg



FG580 Electric Griddle & Salamander

Dimension: 580x455x332mm
Volts: 220V-240V/50-60Hz
Power: 2.4KW
Weight: 34Kg



FG751 Gas Griddle With Gas Fryer

Dimension: 760x650x550mm
Power: 12KW/Hour
Weight: 60Kg



FG908 Electric Griddle With Electric Fryer

Dimension: 760x630x460mm
Volts: 220V-240V/50-60Hz
Power: 3+2.8KW
Weight: 48Kg





FG718

Gas Griddle


Dimension: 550x520x560mm
Power: 36.7Tu/nr
Weight: 30Kg



FG720

Gas Griddle

Dimension: 730x570x560mm
Power: 37.8Tu/nr
Weight: 43Kg



FG721

Gas Griddle

Dimension: 550x520x560mm
Power: 35Tu/nr
Weight: 30Kg



FG722

Gas Griddle

Dimension: 750x570x560mm
Power: 35Tu/nr
Weight: 43Kg



Not all models displayed here, please contact us for more information



FG530FG

Gas Griddle

Dimension: 530x600x475mm
Power: 10.7KW
Weight: /



FG600FG

Gas Griddle

Dimension: 600x600x475mm
Power: 11.7KW
Weight: /



FG750FG

Gas Griddle

Dimension: 750x600x475mm
Power: 10.7KW
Weight: /





FP4 Counter Top Electric Pasta Cooker

Dimension: 450x530x450mm
Volts: 220V-240V/50-60Hz
Power: 4KW
Weight: 12.8Kg



FP6 Counter Top Electric Pasta Cooker

Dimension: 615x440x355mm
Volts: 220V-240V/50-60Hz
Power: 6KW
Weight: 17Kg



FP4S Electric Pasta Cooker

Dimension: 430x710x880mm
Volts: 220V-240V/50-60Hz
Power: 4KW
Weight: 17Kg



FP4S Gas Pasta Cooker

Dimension: 430x710x880mm
Power: 56500BTU/Hour
Weight: 19.6Kg





FP6S	Electric Pasta Cooker
Dimension:	600x690x870mm
Volts:	220V-240V/50-60Hz
Power:	6KW
Weight:	22.2Kg



FP6S	Gas Pasta Cooker
Dimension:	600x690x870mm
Power:	84750BTU/Hour
Weight:	31.4Kg



FPC400	Gas Pasta Cooker
Dimension:	460x460x860mm
Power Supply:	LPG/0.13KW
Volume:	50L



FPC450	Gas Pasta Cooker
Dimension:	510x510x860mm
Power Supply:	LPG/0.13KW
Volume:	70L



FPC500	Gas Pasta Cooker
Dimension:	560x560x860mm
Power Supply:	LPG/0.13KW
Volume:	100L



FB3	Electric Bain Marie
Dimension:	575x450x275mm
Volts:	220V-240V/50-60Hz
Power:	1.5KW
Weight:	12Kg
Model: FB3V	
Dimension:	575x450x235mm
Volts:	220V-240V/50-60Hz
Power:	1.5KW
Weight:	10Kg

FB4	Electric Bain Marie
Dimension:	705x580x280mm
Volts:	220V-240V/50-60Hz
Power:	1.5KW
Weight:	16.5Kg
Model: FB4V	
Dimension:	705x580x230mm
Volts:	220V-240V/50-60Hz
Power:	1.5KW
Weight:	14.3Kg



FB6V	Electric Bain Marie
Dimension:	710x660x285mm
Volts:	220V-240V/50-60Hz
Power:	1.5KW
Weight:	19Kg



4F	Electric Bain Marie
Dimension:	750x750x275mm
Volts:	220V-240V/50-60Hz
Power:	3KW
Weight:	18Kg

080	Electric Bain Marie
Dimension:	1080x750x275mm
Volts:	220V-240V/50-60Hz
Power:	3KW
Weight:	28.2Kg





Not all models displayed here, please contact us for more information

Hot Sale



FM23	Electric Bain Marie
Dimension:	905x350x315mm
Volts:	220V-240V/50-60Hz
Power:	1.5KW
Volume:	3x(1/2x100)Pan

Super Star



FM24	Electric Bain Marie
Dimension:	1170x350x315mm
Volts:	220V-240V/50-60Hz
Power:	1.8KW
Volume:	4x(1/2x100)Pan

Ultimate Edition



FM25	Electric Bain Marie
Dimension:	1435x350x315mm
Volts:	220V-240V/50-60Hz
Power:	1.8KW
Volume:	5x(1/2x100)Pan



Assembled Electric Bain Marie

Model	Size.mm	Power	Pan
FB5601	1120x670x800mm	2KW	3x(1/1x150)Pan
FB5602	1455x670x800mm	2KW	4x(1/1x150)Pan
FB5603	1790x670x800mm	2KW	5x(1/1x150)Pan
FB5604	2125x670x800mm	3KW	6x(1/1x150)Pan



Electric Bain Marie With Curved Glass Shelf & Cabinet

Model	Size.mm	Power	Pan
FB5609	1120x670x800+600mm	2KW	3x(1/1x150)Pan
FB5610	1455x670x800+600mm	2KW	4x(1/1x150)Pan
FB5611	1790x670x800+600mm	2KW	5x(1/1x150)Pan
FB5612	2125x670x800+600mm	3KW	6x(1/1x150)Pan



Us Style 3 Pan Marie With Top Lamp Warmer

Model	Size.mm	Power	Pan
FM5614	1220x960x900+700mm	2KW+500W	1/1 x4 *number three
FM5615	1520x960x900+700mm	2.5KW+825W	1/1 x4 *number four
FM5616	1820x960x900+700mm	2.5KW+1100W	1/1 x4 *number five
FM5617	2130x960x900+700mm	2.5KW+1650W	1/1 x4 *number six

Voltage: 220V Temperature : 30-85°C



F-22(2-Pan) Chocolate Stove

Dimensions: 220x530x180mm
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 7Kg

Model: W-23 (3-Pan)

Dimensions: 230x640x180mm
Volts: 220-240V/50-60Hz
Power: 2KW
Weight: 9Kg

Model: W-24 (4-Pan)

Dimensions: 370x480x180mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 10Kg



FB-M2 Table Top Bain Marie

Dimensions: 355x600x360mm
Volts: 220-240V/50-60Hz
Power: 1.2KW
Weight: 12Kg



Not all models displayed here, please contact us for more information



81010FP S/S Electric Heating Soup Pot

Volts: 220V AC 50Hz
Power: 0.4KW
Volume: 10L
Weight: 12Kg



83010FP Electric Heating Soup Pot

Volts: 220V AC 50Hz
Power: 0.4KW
Volume: 10L
Weight: /



83013FP Electric Heating Soup Pot

Volts: 220V AC 50Hz
Power: 0.6KW
Volume: 13L
Weight: /



F116	Oden Machine
Dimensions:	485x395x300mm
Volts:	220-240V
Power:	1.3KW
Weight:	12.6Kg



F216	Oden Machine
Dimensions:	485x395x300mm
Volts:	220-240V
Power:	1.3KW
Weight:	12.6Kg



F332	Oden Machine
Dimensions:	700x485x350mm
Volts:	220-240V
Power:	2.6KW
Weight:	24.2Kg



Electric Rice Steamer

Model	Dimensions	Volts	Power	Pressure	Note
FRS4	670x560x830mm	220V	6KW	0.02Mpa	single 4 Pan
FRS6	670x560x1000mm	220V/380V	9KW	0.02Mpa	single 6 Pan
FRS8	670x560x1170mm	380V	9KW	0.02Mpa	single 8 Pan
FRS10	670x560x1340mm	380V	12KW	0.02Mpa	single 10 Pan
FRS12	670x560x1510mm	380V	12KW	0.02Mpa	single 12 Pan
FRS14	1400x560x1510mm	380V	12+12KW	0.02Mpa	two-door 24 Pan

Ultimate
Edition



Gas Rice Steamer

Liquefied Petroleum Gas, Natural Gas Can Be Customized

Model	Dimensions	Pressure	Note
FGS6	690x690x1110mm	0.02Mpa	single 6 Pan
FGS9	690x690x1280mm	0.02Mpa	single 8 Pan
FGS10	690x690x1450mm	0.02Mpa	single 10 Pan
FGS12	690x690x1620mm	0.02Mpa	single 12 Pan
FGS24	1380x690x1620mm	0.02Mpa	two-door 24 Pan



F2x2

Food Display Warmer

Dimensions: 700x640x730mm
Volts: 220-240V/50-60Hz
Power: 0.7KW
Weight: 33Kg



F2x3

Food Display Warmer

Dimensions: 1100x640x730mm
Volts: 220-240V/50-60Hz
Power: 1.4KW
Weight: 45Kg



F1100

Food Display Warmer

Dimensions: 1075x775x773mm
Volts: 220V-240V/50-60Hz
Power: 2.8KW
Weight: 60Kg



F6P

Food Display Warmer

Dimensions: 1500x760x860mm
Volts: 220V-240V/50-60Hz
Power: 2.4KW
Weight: 112Kg



Model: F6P-A
Dimensions: 1820x760x860mm
Volts: 220V-240V/50-60Hz
Power: 2.9KW
Weight: 152Kg



Model: F6P-B
Dimensions: 1200x760x860mm
Volts: 220V-240V/50-60Hz
Power: 2.4KW
Weight: 94Kg



Model: F6P-C
Dimensions: 2200x760x860mm
Volts: 220V-240V/50-60Hz
Power: 3.2KW
Weight: 180Kg





Hot Sale

1F	Pie Warmer
Dimensions:	350x425x500mm
Volts:	220V-240V/50-60Hz
Power:	0.85KW
Weight:	18Kg



2F	Pie Warmer
Dimensions:	660x500x620mm
Volts:	220V-240V/50-60Hz
Power:	1.2KW
Weight:	27Kg



Super Star

861	Food Display Warmer
Dimensions:	380x490x600mm
Volts:	220-240V/50-60Hz
Power:	1.3KW
Model:	862
Dimensions:	650x490x580mm
Volts:	220-240V/50-60Hz
Power:	1.3KW
Model:	863
Dimensions:	900x490x580mm
Volts:	220-240V/50-60Hz
Power:	1.6KW



60-1	Food Display Warmer
Dimensions:	660x437x635mm
Volts:	220V-240V/50-60Hz
Power:	1.84KW
Weight:	33Kg
Model:	60-2
Dimensions:	900x480x590mm
Volts:	220V-240V/50-60Hz
Power:	1.84KW
Weight:	50Kg
Model:	60-3
Dimensions:	1200x480x810mm
Volts:	220V-240V/50-60Hz
Power:	2.2KW
Weight:	72Kg



Ultimate Edition

500	Food Display Steamer
Dimensions:	380x400x745mm
Volts:	220V-240V/50-60Hz
Power:	0.9KW
Weight:	24Kg
Model:	600
Dimensions:	457x518x785mm
Volts:	220V-240V/50-60Hz
Power:	1.2KW
Weight:	36Kg



97-2 Rotating Pizza Warmer

Dimensions: 460x450x790mm
Packing Size: 530x540x830mm
Volts: 220-240V/50-60Hz
Power: 0.8KW
Weight: 24Kg



97 Pie Warmer

Dimensions: 460x450x790mm
Packing Size: 530x540x830mm
Volts: 220-240V/50-60Hz
Power: 0.8KW
Weight: 24Kg



180 Open Display Warmer

Dimensions: 600x490x1450mm
Packing Size: 670x560x1510mm
Volts: 220-240V/50-60Hz
Power: 1.65KW
Weight: 76Kg



220 Open Display Warmer

Dimensions: 600x490x1740mm
Packing Size: 670x560x1810mm
Volts: 220-240V/50-60Hz
Power: 1.65KW
Weight: 88Kg



580 Food Display Warmer

Dimensions: 640x360x530mm
Volts: 220-240V/50-60Hz
Power: 1.0KW
Weight: 45Kg



Model: **805**
Dimensions: 865x360x625mm
Volts: 220V-240V/50-60Hz
Power: 1.5KW
Weight: 60Kg



826 Rotating Food Display Warmer

Dimensions: 550x450x630mm
Volts: 220-240V/50-60Hz
Power: 0.95KW



Due to the limitation page space, model fails to display, Welcome consultation or visit our factory





815 Pizza Display Warmer

Dimensions: 490x490x810mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
Weight: 15Kg



816 Pizza Display Warmer

Dimensions: 490x490x810mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
Weight: 15Kg



F108 Rotating Cake Showcase

Dimensions: 470x470x870mm
Packing Size: 560x530x940mm
Volts: 220-240V/50-60Hz
Power: 0.23KW
Weight: 54Kg
Temperature: 2-10°C
Refrigerant: R134A/R600A



108 Rotating Pizza Showcase

Dimensions: 470x470x870mm
Packing Size: 560x530x940mm
Volts: 220-240V/50-60Hz
Power: 1.2KW
Weight: 35Kg



11-21 Food Warmer Cart

Dimensions: 780x960x1755mm
Volts: 220-240V/50-60Hz
Power: 1.85KW
Weight: 160Kg



22-21 Food Warmer Cart

Dimensions: 1540x930x1755mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
Weight: 280Kg





FS936 Electric Hanging Salamander

Dimensions: 610x310x280mm
Volts: 220V-240V/50-60Hz
Power: 2KW
Weight: 10.8Kg



FS936A Electric Hanging Salamander

Dimensions: 610x310x280mm
Volts: 220V-240V/50-60Hz
Power: 2KW
Weight: 12Kg



FS280 Electric Toaster

Dimensions: 460x285x280mm
Volts: 220V-240V/50-60Hz
Power: 2KW
Weight: 8Kg



FS430 Electric Toaster

Dimensions: 460x285x430mm
Volts: 220V-240V/50-60Hz
Power: 3KW
Weight: 10Kg




FS16 Gas Salamander

Dimensions: 880x440x610mm
Power: 42TU/hr
Weight: 47.2Kg



FS14 Gas Salamander

Dimensions: 620x440x610mm
Power: 24Tu/hr
Weight: 31.6Kg





FS937 Electric Hanging Salamander	
Dimensions:	790x450x490mm
Volts:	220V-240V/50-60Hz
Power:	4KW
Weight:	23.6Kg
Model:	FS938
Dimensions:	580x390x380mm
Volts:	220V-240V/50-60Hz
Power:	2.2KW
Weight:	15.8Kg



FS450 Electric Hanging Salamander	
Dimensions:	450x450x470mm
Volts:	220V-240V/50-60Hz
Power:	2.8KW
Weight:	36Kg
Model:	FS600
Dimensions:	600x450x470mm
Volts:	220-240V
Power:	4KW
Weight:	45Kg



FL928 Electric Lava Rock Grill	
Dimensions:	460x600x400mm
Volts:	220-240V/50-60Hz
Power:	5KW



FL82 Gas Char Grill	
Dimensions:	360x770x460mm
Power:	8KW/Hour



FL741 Char Grill	
Dimensions:	760x650x550mm
Power:	16KW/Hour
Model:	FL841
Dimensions:	760x650x550mm
Volts:	220-240V/50-60Hz
Power:	9KW/Hour



FL978 Gas Char Grill	
Dimensions:	760x590x410mm
Power:	16KW/Hour

Due to the limitation page space, model fails to display, Welcome consultation or visit our factory



FL84

Gas Lava Rock Grill

Dimensions: 620x770x460mm

Power: 16KW/Hour

Model: FL86

Dimensions: 880x770x460mm

Power: 24KW/Hour

Model: FL88

Dimensions: 1170x770x460mm

Power: 32KW/Hour



FS1

Gas Stove

Dimensions: 550x460x500mm

Power: 24.7KW/84280BTU

Burner: 1

Weight: 47Kg



FS2

Gas Stove

Dimensions: 300x770x360+60mm

Power: 15.5KW/53000BTU

Burner: 2

Weight: 34Kg



FS4

Gas Stove

Dimensions: 600x770x360+60mm

Power: 25.2KW/86000BTU

Burner: 4

Weight: 59Kg



FS6

Gas Stove

Dimensions: 900x770x360+60MM

Power: 46.6KW/159000BTU

Burner: 6

Weight: 84Kg





FS-R2B Gas Shawarma (Adjustable)

Dimensions:	500x650x900mm
Power:	9KW/Hour
Burner:	2
Weight:	27Kg
Model:	FS-R2A
Dimensions:	534x607x960mm
Power:	9.9KW/Hour
Burner:	3
Weight:	31Kg
Model:	FS-R2
Dimensions:	534x700x1050MM
Power:	14.8KW/Hour
Burner:	4
Weight:	34Kg



FS100E Kebab Slicer

Dimensions:	280x240x190mm
Blade:	Dia. 100mm
Volts:	220-240V/50Hz
Cutting Depth:	0-8mm
Productivity:	60Kg/日
Power:	0.08KW



FS-E2 Electric Shawarma (Adjustable)

Dimensions:	534x607x960mm
Volts:	380V
Power:	9.9KW
Weight:	31Kg



Not all models displayed here, please contact us for more information



FJ3P Electric/Gas Rotisserie (3-Rod)

Dimensions:	21180x490x830mm
Volts:	380V
Power:	6KW
Model:	FJ3P
Dimensions:	1180x490x830mm
Volts:	220V-240V/50-60Hz
Power:	10KW/Hour + 0.2KW
3 Rods for 12-15 Chickens	



FJ6P Electric/Gas Rotisserie (6-Rod)

Dimensions:	1180x490x1380mm
Volts:	380V
Power:	12.3KW
Model:	FJ6P
Dimensions:	1180x490x1380mm
Volts:	220V-240V/50-60Hz
Power:	20KW/Hour + 0.3KW
6 Rods for 24-30 Chickens	

FJ9P Electric/Gas Rotisserie (9-Rod)

Dimensions:	1180x490x1880mm
Volts:	380V
Power:	18.4KW
Model:	FJ9P
Dimensions:	1180x490x1880mm
Volts:	220V-240V/50-60Hz
Power:	30KW/Hour + 0.4KW
9 Rods for 36-45 Chickens	



FJ266 Electric Rotisserie

Dimensions: 810x630x610mm
Volts: 220V-240V/50-60Hz
Power: 4.5KW
Weight: 65Kg

4 Baskets for 8-12 Chickens.



FJ268 Electric Rotisserie

Dimensions: 1010x630x880mm
Volts: 220V-240V/50-60Hz
Power: 6KW
Weight: 81Kg

4 Baskets for 12-16 Chickens.



FJ206 Electric Shawarma Broiler

Dimensions: 670x553x1587mm
Volts: 220V-240V/380V
Frequency: 50-60Hz
Power: 6.7KW
Weight: 106Kg

12 Hangers for 12-24 Chickens.



FJ201 Electric Shawarma Broiler

Dimensions: 1000x900x2140mm
Volts: 380V
Power: 20KW
Weight: 353Kg
Capacity: 60个



FJ306 Gas Shawarma Broiler

Dimensions: 670x550x1580mm
Volts: 220V-240V
Power: 50-60Hz
Weight: 0.2KW+9KW/Hour
Capacity: 91Kg

12 Hangers for 12-24 Chickens.





F11G Gas BBQ Grill (2-Burner) **F11**

Dimensions:	340x425x200mm	340x425x200mm
Grill Size:	320x250mm	320x250mm
Color:	Stainless steel	Stainless steel
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	5.5Kg	5.5Kg
Pressure:	2800Pa	2800Pa

Model:	F12G	F12
Dimensions:	340x600x200mm	340x600x200mm
Grill Size:	320x425mm	320x425mm
Color:	Stainless steel	Stainless steel
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	6.8Kg	6.8Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized



F111 Gas BBQ Grill (2-Burner) **F111B**

Dimensions:	340x425x200mm	340x425x200mm
Grill Size:	320x250mm	320x250mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	5.5Kg	5.5Kg
Pressure:	2800Pa	2800Pa

Model:	F122	F122B
Dimensions:	340x600x200mm	340x600x200mm
Grill Size:	320x425mm	320x425mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	6.8Kg	6.8Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized



F33G Gas BBQ Grill (3-Burner) **F33**

Dimensions:	470x425x200mm	470x425x200mm
Grill Size:	450x250mm	450x250mm
Color:	Stainless steel	Stainless steel
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	6.5Kg	6.5Kg
Pressure:	2800Pa	2800Pa

Model:	F35G	F35
Dimensions:	470x600x200mm	470x600x200mm
Grill Size:	450x425mm	450x425mm
Color:	Stainless steel	Stainless steel
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	9.5Kg	9.5Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized



F333 Gas BBQ Grill (3-Burner) **F333B**

Dimensions:	470x425x200mm	470x425x200mm
Grill Size:	450x250mm	450x250mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	6.5Kg	6.5Kg
Pressure:	2800Pa	2800Pa

Model:	F355	F355B
Dimensions:	470x600x200mm	470x600x200mm
Grill Size:	450x425mm	450x425mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	9.5Kg	9.5Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized


22F
Gas BBQ Grill (4-Burner)
22

Dimensions:	575x425x200mm	575x425x200mm
Grill Size:	560x250mm	560x250mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	10Kg	10Kg
Pressure:	2800Pa	2800Pa
Model:	25F	25
Dimensions:	575x600x200mm	575x600x200mm
Grill Size:	560x425mm	560x425mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	13Kg	13Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized


222
Gas BBQ Grill (4-Burner)
222F

Dimensions:	575x425x200mm	575x425x200mm
Grill Size:	560x250mm	560x250mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	10Kg	10Kg
Pressure:	2800Pa	2800Pa
Model:	255	255F
Dimensions:	575x600x200mm	575x600x200mm
Grill Size:	560x425mm	560x425mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	13Kg	13Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized


23F
Gas BBQ Grill (6-Burner)
23

Dimensions:	800x425x200mm	800x425x200mm
Grill Size:	790x250mm	790x250mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	14Kg	14Kg
Pressure:	2800Pa	2800Pa
Model:	33F	33
Dimensions:	800x600x200mm	800x600x200mm
Grill Size:	790x425mm	790x425mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	18Kg	18Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized


233
Gas BBQ Grill (6-Burner)
233F

Dimensions:	800x425x200mm	800x425x200mm
Grill Size:	790x250mm	790x250mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	14Kg	14Kg
Pressure:	2800Pa	2800Pa
Model:	333	333F
Dimensions:	800x600x200mm	800x600x200mm
Grill Size:	790x425mm	790x425mm
Color:	yellow	yellow
Configuration:	Stainless steel cover	High temperature resistant glass
Weight:	18Kg	18Kg
Pressure:	2800Pa	2800Pa

Liquefied Petroleum Gas, Natural Gas Can Be Customized



Not all models displayed here, please
contact us for more information



05	Smokeless Gas BBQ Grill		05-01
Dimensions:	670x410x230mm	870x410x230mm	
Grill Size:	425x220mm	610x220mm	
Color:	Stainless steel	Stainless steel	
Weight:	12Kg	14Kg	
Pressure:	2800Pa	2800Pa	
Volts:	220V/50Hz	220V/50Hz	
Power:	16W	16W	
Remark:	With the fan	With the fan	
Liquefied Petroleum Gas, Natural Gas Can Be Customized			

03(160)	Smokeless Gas BBQ Grill		03(200)
Dimensions:	1200x370x230mm	1200x410x230mm	
Grill Size:	780x180mm	780x220mm	
Color:	Stainless steel	Stainless steel	
Weight:	15Kg	15Kg	
Pressure:	2800Pa	2800Pa	
Volts:	220V/50Hz	220V/50Hz	
Power:	32W	32W	
Remark:	With the fan	With the fan	
Dimensions:	1620x370x230mm	1620x410x230mm	
Grill Size:	1200x180mm	1200x220mm	
Color:	Stainless steel	Stainless steel	
Weight:	23Kg	23Kg	
Pressure:	2800Pa	2800Pa	
Volts:	220V/50Hz	220V/50Hz	
Power:	32W	32W	
Remark:	With the fan	With the fan	
Liquefied Petroleum Gas, Natural Gas Can Be Customized			



99F	Gas BBQ Grill (8-Burner)		99
Dimensions:	1030x425x200mm	1030x425x200mm	
Grill Size:	1020x250mm	1020x250mm	
Color:	Stainless steel	Stainless steel	
Configuration:	Stainless steel cover	High temperature resistant glass	
Weight:	18Kg	18Kg	
Pressure:	2800Pa	2800Pa	
Model:	28F	28	
Dimensions:	1030x600x200mm	1030x600x200mm	
Grill Size:	1020x425mm	1020x425mm	
Color:	Stainless steel	Stainless steel	
Configuration:	Stainless steel cover	High temperature resistant glass	
Weight:	21Kg	21Kg	
Pressure:	2800Pa	2800Pa	
Liquefied Petroleum Gas, Natural Gas Can Be Customized			

FT10G	Gas BBQ Grill (10-Burner)		FT10
Dimensions:	1280x425x200mm	1280x425x200mm	
Grill Size:	1245x250mm	1245x250mm	
Color:	Stainless steel	Stainless steel	
Configuration:	Stainless steel cover	High temperature resistant glass	
Weight:	18Kg	18Kg	
Pressure:	2800Pa	2800Pa	
Model:	FST10G	FST10	
Dimensions:	1280x600x200mm	1280x600x200mm	
Grill Size:	1245x425mm	1245x425mm	
Color:	Stainless steel	Stainless steel	
Configuration:	Stainless steel cover	High temperature resistant glass	
Weight:	26Kg	26Kg	
Pressure:	2800Pa	2800Pa	
Liquefied Petroleum Gas, Natural Gas Can Be Customized			



FD-121/FD-181



FD-122/FD-182



FD-123/FD-183

Juice Dispenser

Model	Dimensions	Volts	Power	Capacity	Weight	Note
FD-121	480x360x750mm	220V-240V/50Hz	180W	12Lx1	24Kg	Single cylinder
FD-122	470x450x700mm	220V-240V/50Hz	280W	12Lx2	28Kg	double cylinder
FD-123	640x450x700mm	220V-240V/50Hz	320W	12Lx3	36Kg	three cylinder
FD-181	480x360x750mm	220V-240V/50Hz	180W	18Lx1	27Kg	Single cylinder
FD-182	510x470x750mm	220V-240V/50Hz	280W	18Lx2	40Kg	double cylinder
FD-183	750x470x750mm	220V-240V/50Hz	320W	18Lx3	54Kg	three cylinder



Red/Green/White for Choice



115/115F 117/117F



230/230F 234/234F



345/345F 351/351F

Juice Dispenser

Model	Dimensions	Volts	Power	Capacity	Weight	Note
115/115F	210x450x665mm	220V/50Hz	200W(spray), 150W(stir)	15L	15Kg	Single cylinder
117/117F	265x490x715mm	220V/50Hz	200W(spray), 150W(stir)	17L	21Kg	Single cylinder
230/230F	410x450x665mm	220V/50Hz	360W(spray), 250W(stir)	2x15L	27Kg	double cylinder
234/234F	400x465x715mm	220V/50Hz	360W(spray), 250W(stir)	2x17L	31Kg	double cylinder
345/345F	610x450x665mm	220V/50Hz	530W(spray), 370W(stir)	3x15L	38Kg	three cylinder
351/351F	610x465x715mm	220V/50Hz	530W(spray), 370W(stir)	3x17L	41Kg	three cylinder



F120



F240



F360

Slush Machine



Model	Dimensions	Voltage	Power	Capacity	Weight	Note
F120	320x530x800mm	220V/50Hz	750W	12L	35Kg	Single cylinder
F240	430x530x800mm	220V/50Hz	890W	12Lx2	50Kg	double cylinder
F360	620x530x800mm	110V/220V/50~60Hz	1100W	12Lx3	70Kg	three cylinder



F101



F102 F122



F103 F123

Slush Machine



Model	Dimensions	Voltage	Power	Capacity	Weight	Note
F101	350x620x840mm	220V-240V/50Hz	300W	10Lx1	40Kg	Single cylinder
F102	470x620x840mm	220V-240V/50Hz	400W	10Lx2	55kg	double cylinder
F122	470x550x870mm	220V-240V/50Hz	500W	12Lx2	68Kg	double cylinder
F103	620x670x840mm	220V-240V/50Hz	500W	10Lx3	74Kg	three cylinder
F123	660x550x870mm	220V-240V/50Hz	600W	12Lx3	78Kg	three cylinder



F151



F152



F153

Slush Machine



Model	Dimensions	Voltage	Power	Capacity	Weight	Note
F151	350x620x840mm	220V-240V/50Hz	300W	15Lx1	40Kg	Single cylinder
F152	470x620x840mm	220V-240V/50Hz	400W	15Lx2	55Kg	double cylinder
F153	620x670x840mm	220V-240V/50Hz	500W	15Lx3	74Kg	three cylinder

Not all models displayed here, please contact us for more information



F168



F767



F787



F768A

Smoothie Machine



Model	Dimensions	Voltage	Power	Rotation Speed	Capacity	Weight	Juicing Capacity
F168	245x325x195mm	220-240V	-	-	1.5L	2.3Kg	-
F767	170x235x530mm	220-240V	1.2KW	23000-26000R/M	2L	4.0Kg	80cup/h
F787	195x225x565mm	220-240V	1.39KW	23000-26000R/M	2L	4.1Kg	80cup/h
F768A	195x225x565mm	220-240V	1.5KW	23000-26000R/M	2L	4.3Kg	80cup/h



F968



F333



F666



F999



F999Z



Smoothie Machine



Model	Dimensions	Voltage	Power	Rotation Speed	Capacity	Weight	Juicing Capacity
F968	195x215x490mm	220-240V	1.6KW	26000-28000R/M	2.7L	5.3Kg	90cup/h
F333	270x235x530mm	220-240V	1.8KW	26000-28000R/M	3L	4.6Kg	96cup/h
F666	580x275x515mm	220-240V	2.5KW	26000-28000R/M	2.8L	5.2Kg	120cup/h
F999	195x215x490mm	220-240V	1.8KW	26000-28000R/M	2.7L	5.4Kg	90cup/h
F999Z	200x220x500mm	220-240V	1.8KW	12000-28000R/M	2.7L	7.3Kg	90cup/h

Smoothie Machine Series

Fernann
UK Quality



112F
Hard Ice Cream Machine



818
Soft Ice Cream Machine



818FH-2
Rainbow System Soft Ice Cream Machine

Ice Cream Machine

Model	Dimensions	Voltage	Power	Production	Weight
112F	525x690x420mm	220V/50Hz	1400W	20L	65Kg
818	540x575x1370mm	220V/50Hz	1800W	18L/H	119Kg
818FH-2	540x575x1390mm	220V/50Hz	1800W	20-30L/H	119Kg



688



825FB



825FC

Soft Ice Cream Machine

Model	Dimensions	Voltage	Power	Production	Weight
688	565x672x1430mm	220V/50Hz	1800W	20-30L/H	120Kg
825FB	540x615x1410mm	220V/50Hz	1800W	22-28L/H	135Kg
825FC	515x570x1370mm	220V/50Hz	1800W	22-25L/H	135Kg



118



818T



825T

Soft Ice Cream Machine



Model	Dimensions	Volts	Power	Production	Weight
118	520x600x680mm	220V/50Hz	1300W	18L/H	70Kg
818T	520x695x680mm	220V/50Hz	1800W	18-23L/H	90Kg
825T	520x695x680mm	220V/50Hz	1800W	20-30L/H	90Kg



825D



830



850

Soft Ice Cream Machine



Model	Dimensions	Volts	Power	Production	Weight
825D	515x570x1370mm	220V/50Hz	1800W	20-30L/H	120Kg
830	540x575x1410mm	220V/50Hz	2000W	25-35L/H	135Kg
850	585x675x1420mm	220V/50Hz	3400W	45-55L/H	177Kg



COFFEE MACHINE DINING TYPE

Design of fashionable appearance
(Fashionable designed appearance is assorted
with the atmosphere in any place.)

Free adjustment of water temperature
(Adjust the water temperature in accordance
with the change of seasons.)

Automatic micro control (if only press the
button lightly, automatic micro control makes
using convenient.)

Design of placing with purified water tank
(Suitable for the place where need to supply
much drink.)



COFFEE MACHINE DINING TYPE

TOGETHER WITH ITO, ENJOY LIFE EVERY DAY.



Not all models displayed here, please contact us for more information



Yogurt Maker



FNJ-A



FNJ-B

Model	Dimensions	Volts	Compressor Power	Heating Power	Temperature	Capacity	Weight
FNJ-A	545x554x1850mm	220V/50Hz	200W	1000W	2~48℃	228L	58Kg
FNJ-B	550x1115x1940mm	220V/50Hz	400W	2000W	2~48℃	570L	106Kg



FR20-1



FR20-2

Refrigerator

Model	Dimensions	Volts	Power	Temperature	Capacity	Weight
FR20-1	600x540x1970mm	220V	110W	0~8℃	300L	40Kg
FR20-2	1200x580x2000mm	220V	210W	0~8℃	618L	80Kg



Fermom
UK Quality

Beverage Freezer Series

Hot Sale



F22	Fried Ice Cream Machine
Dimensions:	830x440x700mm
Volts:	110V/220V/50Hz~60Hz
Power:	1800W
Ice Production:	27Kg/H
Weight:	45Kg

Q30	Fried Ice Cream Machine
Dimensions:	830x440x700mm
Volts:	220V/50Hz
Power:	1800W
Ice Production:	27Kg/H
Weight:	50Kg

Ultimate Edition



F11	Fried Ice Cream Machine
Dimensions:	625x485x830mm
Volts:	220V/50Hz
Power:	1800W

Q31	Fried Ice Cream Machine
Dimensions:	640x640x780mm
Volts:	220V/50Hz
Power:	2500W

Due to the limitation page space, model fails to display, Welcome consultation or visit our factory



FT1500

Freezer Work Table

Dimensions: 1500x600x800mm
 Volts: 220V
 Power: 180W
 Temperature: -6~-6℃
 Model: FT1800
 Dimensions: 1800x800x800mm
 Volts: 220V
 Power: 200W
 Temperature: -6~-6℃



FF610

Commercial Kitchen Freezer

Dimensions: 610x730x1920mm
 Volts: 220V
 Power: 230W
 Temperature: -12~-12℃

Due to the limitation page space, model fails to display,
 Welcome consultation or visit our factory



FF1210

Commercial Kitchen Freezer

Dimensions: 1210x730x1920mm
 Volts: 220V
 Power: 385W
 Temperature: -12~-12℃



FF1810

Commercial Kitchen Freezer

Dimensions: 1810x730x1920mm
 Volts: 220V
 Power: 580W
 Temperature: -12~-12℃

Hot Sale



FM18/22/43

Ice Machine

Dimensions:	420x450x760mm 500x500x810mm
Volts:	220V/50Hz
Power:	0.2/0.29/0.35KW
Daily production:	20Kg/24h 22Kg/24h 43Kg/24h
Bin capacity:	8/10/20Kg



Model: FM60/90/120

Dimensions:	705x608x1010mm 825x608x1010mm
Volts:	220V/50Hz
Power:	0.485/0.635/0.7KW
Daily production:	60Kg/24h 90Kg/24h 120Kg/24h
Bin capacity:	35/45/45Kg



FM150/250/350

Ice Machine

Dimensions:	790x865x1500/1545mm
Volts:	220V/50Hz
Power:	1.0/1.5/1.8KW
Refrigerant:	R22
Daily production:	150Kg/24h 250Kg/24h 350Kg/24h
Bin capacity:	145Kg



Model: FM500/700/900

Dimensions:	790x865x1655/1855mm
Volts:	380V/50Hz
Power:	3.1/4.0/6.0KW
Refrigerant:	R22
Daily production:	500Kg/24h 700Kg/24h 900Kg/24h
Bin capacity:	250/265/350Kg



FM1300

Ice Machine

Dimensions:	1220x920x1740mm
Volts:	380V/50Hz
Power:	2.86KW
Refrigerant:	R22
Daily production:	590Kg/24h
Bin capacity:	300Kg



Model: FM1800

Dimensions:	1220x920x1840mm
Volts:	380V/50Hz
Power:	3.95KW
Refrigerant:	R22
Daily production:	817Kg/24h
Bin capacity:	300Kg





FD1200/1500/1800



FD1200A/1500A/1800A



FD1200B/1500B/1800B

Cake Showcase

Model	Dimensions	Packing Size	Volts	Power	Temperature	Remarks
FD1200	1200x780x1180mm	-	220V/50Hz	0.58KW	2~10℃	Fan Cooling
FD1500	1500x780x1180mm	-	220V/50Hz	0.68KW	2~10℃	Fan Cooling
FD1800	1800x780x1180mm	-	220V/50Hz	0.78KW	2~10℃	Fan Cooling
FD1200A	1200x730x1500mm	-	220V/50Hz	0.75KW	0~12℃	Fan Cooling
FD1500A	1500x730x1500mm	-	220V/50Hz	0.80KW	0~12℃	Fan Cooling
FD1800A	1800x730x1500mm	-	220V/50Hz	0.95KW	2~10℃	Fan Cooling
FD1200B	1200x700x1200mm	-	220V/50Hz	0.45KW	2~10℃	Fan Cooling
FD1200B	1500x700x1200mm	-	220V/50Hz	0.49KW	2~10℃	Fan Cooling
FD1200B	1800x700x1200mm	-	220V/50Hz	0.50KW	0~12℃	Fan Cooling



FD1200C/1500C/1800C



FD130-1



FD160-2

Cake Showcase

Model	Dimensions	Packing Size	Volts	Power	Temperature	Refrigerant	Weight
FD1200C	1200x890x1420mm	-	220V/50Hz	0.8KW	2~10℃	R134A/R600A	-
FD1500C	1500x890x1420mm	-	220V/50Hz	0.95KW	2~10℃	R134A/R600A	-
FD1800C	1800x890x1420mm	-	220V/50Hz	1.1KW	2~10℃	R134A/R600A	-
FD130-1	700x580x680mm	770x630x740mm	220-240V/50Hz	0.23/0.18KW	0~12℃	R134A/R600A	57Kg
FD160-2	880x580x680mm	950x630x740mm	220-240V/50Hz	0.23/0.18KW	0~12℃	R134A/R600A	65Kg





FD270S



FD270C

Cake Showcase



Model	Dimensions	Packing Size	Voltage	Power	Temperature	Refrigerant	Weight
FD270S	920x680x1280mm	1020x770x1280mm	220-240V/50Hz	0.475KW	2~8°C	R134A/R600A	176Kg
FD270C	920x680x1280mm	1020x770x1280mm	220-240V/50Hz	0.475KW	2~8°C	R134A/R600A	176Kg



FOD180



FOD220



FOD200

Open Type Refrigerated Display Cabinet



Model	Dimensions	Packing Size	Voltage	Power	Temperature	Refrigerant	Weight
FOD180	674x494x1450mm	720x565x1510mm	220-240V/50Hz	1.34KW	2~10°C	R404A	105Kg
FOD220	674x4494x1740mm	720x565x1808mm	220-240V/50Hz	1.34KW	2~10°C	R404A	111Kg
FOD200	1000x560x1250mm	1080x640x1310mm	220-240V/50Hz	1.34KW	2~10°C	R404A	121Kg



F16-1

Popcorn Machine

Dimensions: 1850x710x560mm
Volts: 220V-240V/50-60Hz
Power: 3KW
Weight: 76.4Kg



F16-2

Popcorn Machine

Dimensions: 1860x1350x570mm
Volts: 220V-240V/50-60Hz
Power: 5KW
Weight: 127.8Kg



F32

Popcorn Machine

Dimensions: 2003x880x680mm
Volts: 220V-240V/50-60Hz
Power: 3.2KW
Weight: 104.7Kg





F6A Popcorn Machine
Dimensions: 500x370x680mm
Volts: 220-240v/50-60Hz
Power: 1.44KW

F12A Popcorn Machine
Dimensions: 500x410x790mm
Volts: 220-240v/50-60Hz
Power: 1.84KW

F16A Popcorn Machine
Dimensions: 750x550x1100mm
Volts: 220-240v/50-60Hz
Power: 2.354KW



F6B Popcorn Machine
Dimensions: 560x420x760mm
Volts: 220-240v/50-60Hz
Power: 1.44KW



F6C Popcorn Machine
Dimensions: 560x420x760mm
Volts: 220-240v/50-60Hz
Power: 1.44KW

FC6 Popcorn Machine Cart
Dimensions: 940x500x825mm





FW8

Popcorn Machine & Warming Showcase

Dimensions: 900x420x740mm
Volts: 220-240v/50-60Hz
Power: 1.9KW

FW12

Popcorn Machine & Warming Showcase

Dimensions: 1000x470x790mm
Volts: 220-240v/50-60Hz
Power: 2.3KW

FW16

Popcorn Machine & Warming Showcase

Dimensions: 1290x600x1000mm
Volts: 220-240v/50-60Hz
Power: 3.5KW



FP800

Popcorn Machine

Dimensions: 520x450x650mm
Volts: 220-240v/50-60Hz
Power: 1.44KW



FP2408

Popcorn Machine

Dimensions: 500x500x800mm
Volts: 220-240v/50-60Hz
Power: 1KW
Weight: 25.4Kg



FP1999

Popcorn Machine

Dimensions: 505x350x680mm
Volts: 220-240v/50-60Hz
Power: 1.2KW
Weight: 22Kg



FP1808

Popcorn Machine

Dimensions: 560x420x760mm
Volts: 220-240v/50-60Hz
Power: 1.44KW



FM3/FM6

Electric candy floss machine

Dimensions: 530x530x415mm 720x720x500mm
Volts: 220v/50Hz 220v/50Hz
Power: 1.03KW 1.03KW
Weight: 12Kg 13Kg
Out Put: 30 (sec)/个 30 (sec)/个



FR3/FR6

Gas candy floss machine

Dimensions: 530x530x415mm 720x720x500mm
Volts: 2800Pa 2800Pa
Power: 0.1KW 0.1KW
Weight: 13Kg 14Kg
Out Put: 30 (sec)/个 30 (sec)/个



FM9

Electric candy floss machine(pink)

Dimensions: 530x750x910mm
Volts: 220v/50Hz
Power: 1.03KW
Weight: 10Kg
Out Put: 30 (sec)/个



FT-MF08

Mini electric candy floss machine

Dimensions: 285x285x170mm
Volts: 220v/50Hz
Power: 0.42KW
Weight: /
Out Put: /



FM3JZ/FM6JZ

Cover for candy floss machine

Dimensions: 520x520x435mm 720x720x435mm
material: (acrylic) (acrylic)

ET-MF05(Ø520/720)

Electric candy floss machine

Dimensions: 520x750x910mm 720x750x910mm
Volts: 220v/50Hz 220v/50Hz
Power: 1.03KW 1.03KW
Out Put: 30(sec)/个 30(sec)/个





FD8080 Hot dog steamer cart

Dimensions: 400x600x400mm
Volts: 220-240v
Power: 1.2KW
Weight: 18.2Kg



FD04/FD03 Hot Dog Steamer

Dimensions: 360x360x460mm 467x300x385mm
Volts: 220-240v/50-60Hz 220-240v/50-60Hz
Power: 0.7KW 0.7KW
Weight: 10Kg 9.3Kg



FD05(5-Roller) Hot Dog Grill

Dimensions: 580x250x215mm
Volts: 220-240v/50-60Hz
Power: 1KW
Weight: 7.5Kg



FD07(7-Roller) Hot Dog Grill

Dimensions: 580x330x215mm
Volts: 220-240v/50-60Hz
Power: 1.4KW
Weight: 9Kg



FD821 Hot dog steamer cart

Dimensions: 590x490x500mm
Volts: 220-240v/50-60Hz
Power: 3.2KW



FD09(9-Roller) Hot Dog Grill

Dimensions: 580x410x215mm
Volts: 220-240v/50-60Hz
Power: 1.8KW
Weight: 13Kg



FD11(11-Roller) Hot Dog Grill

Dimensions: 580x480x215mm
Volts: 220-240v/50-60Hz
Power: 2.2KW
Weight: 16Kg



FD09 Hot dog steamer cart

Dimensions: 460x515x385mm
Volts: 220-240v/50-60Hz
Power: 1.2KW



FW81(1-Drawer) Food Warmer

Dimensions: 750x580x400mm
Volts: 220-240v/50-60Hz
Power: 1KW



FW82(2-Drawer) Food Warmer

Dimensions: 750x580x650mm
Volts: 220-240v/50-60Hz
Power: 2KW



FW83(3-Drawer) Food Warmer

Dimensions: 750x580x900mm
Volts: 220-240v/50-60Hz
Power: 3KW



FD11 Hot dog steamer cart

Dimensions: 660x575x385mm
Volts: 220-240v/50-60Hz
Power: 1.55KW





FT4	4-Slice Toaster
Dimensions:	370x210x225mm
Volts:	220-240V/50-60Hz
Power:	2.3KW
Weight:	4Kg



FT6	6-Slice Toaster
Dimensions:	460x210x225mm
Volts:	220-240V/50-60Hz
Power:	3.24KW
Weight:	5Kg



FT150	Electric Conveyor Toaster
Dimensions:	460x210x225mm
Volts:	220-240V/50-60Hz
Power:	3.24KW
Weight:	5Kg



Model: FT300

Dimensions:	370x420x380mm
Volts:	220-240V/50-60
Power:	1.94KW
Weight:	16Kg



Model: FT450


Dimensions:	470x420x380mm
Volts:	220-240V/50-60
Power:	2.64KW
Weight:	20.5Kg



FT01	9-Slice Toaster (San Blast Finish)
Dimensions:	535x395x285mm
Volts:	220-240V/50-60Hz
Power:	2.2KW
Weight:	12Kg



FM400	Crepe Maker
Dimensions:	450x450x180mm
Volts:	220-240V/50-60Hz
Power:	2.2KW
Weight:	20Kg





FS2203 Single Induction Cooker

Dimensions: 520x360x250mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
Weight: 6.5Kg



FS2205 Double Induction Cooker

Dimensions: 610x520x250mm
Volts: 220-240V/50-60Hz
Power: 2+2.6KW
Weight: 10Kg



FC1 Electric (Gas) Crepe Maker

Dimensions: 490x450x235mm
Volts: 220~240V
Power: 3KW
Weight: 25Kg



Model: FC1.R

Dimensions: 490x450x240mm
Power: 18.9MJ
Weight: 25Kg



FC2 Electric (Gas) Crepe Maker

Dimensions: 860x485x240mm
Volts: 220~240V
Power: 6KW
Weight: 42Kg



Model: FC2.R

Dimensions: 900x500x200mm
Power: 18.9MJ
Weight: 42Kg



FM1 Electric (Gas) Crepe Maker

Dimensions: 490x450x230mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 22.6Kg



Model: FM1G

Dimensions: 490x450x230mm
Power: 4KW/Hour
Weight: 22.6Kg



FM2 Electric (Gas) Crepe Maker

Dimensions: 860x490x235mm
Volts: 220-240V/50-60Hz
Power: 6KW
Weight: 44Kg



Model: FM2G

Dimensions: 860x490x235mm
Power: 8KW/Hour
Weight: 44Kg





FW1 1-Plate Waffle Baker

Dimensions: 250x360x270mm
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 5.4Kg



FW2 2-Plate Waffle Baker

Dimensions: 500x360x270mm
Volts: 220-240V/50-60Hz
Power: 2KW
Weight: 10.4Kg



FW1S 1-Plate Waffle Baker

Dimensions: 300x380x250mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
Weight: 11.6Kg



FW2S 2-Plate Waffle Baker

Dimensions: 630x380x250mm
Volts: 220-240V/50-60Hz
Power: 3.2KW
Weight: 20.5Kg



FW1D 1-plate Digital Waffle Baker

Dimensions: 250x360x270mm
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 5.4Kg



6FR Bubble Waffle Maker

Dimensions: 420x220x210mm
Gas Pressure: 2800Pa
Weight: 5.5Kg



Note: the stove is suitable for use in low pressure valve forbids the use of high pressure valve.



FY-6A Luxury Bubble Waffle Maker

Dimensions: 490x265x280mm
Volts: 220-240V
Power: 1.145KW
Weight: 6Kg



FY-6E Digital Bubble Waffle Maker

Dimensions: 450x320x280mm
Volts: 220-240V
Power: 1.436KW
Weight: 8.7Kg



FC1 1-Plate Cone Baker

Dimensions: 250x360x270mm
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 6.4Kg



FC2 2-Plate Cone Baker

Dimensions: 500x360x270mm
Volts: 220-240V/50-60Hz
Power: 2KW
Weight: 12.4Kg



FG811 Electric Contact Grill

Dimensions: 400x300x210mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Weight: 13.8Kg



Model: FG811E

Dimensions: 400x300x210mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
Weight: 21Kg



FG813 Electric Contact Grill

Dimensions: 580x400x210mm
Volts: 220-240V/50-60Hz
Power: 1.8+1.8KW
Weight: 26Kg



Model: FG813E

Dimensions: 840x305x210mm
Volts: 220-240V/50-60Hz
Power: 4.4KW
Weight: 37Kg





FG811B Electric Contact Grill

Dimensions: 400x300x210mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Weight: 15Kg

Model: FG811EB

Dimensions: 400x300x210mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
Weight: 22Kg



FY5 Grilled Hot Dog Machine

Dimensions: 360x330x245mm
Volts: 220-240V
Power: 1.5KW
Weight: 8Kg



FY117 Crispy Machine

Dimensions: 360x330x245mm
Volts: 220-240V
Power: 1.55KW
Weight: 9Kg



FG813B Electric Contact Grill

Dimensions: 580x400x210mm
Volts: 220-240V/50-60Hz
Power: 1.8+1.8KW
Weight: 26Kg

Model: FG813EB

Dimensions: 840x305x210mm
Volts: 220-240V/50-60Hz
Power: 4.4KW
Weight: 39Kg



FY2214 Scones machine

Dimensions: 460x370x240mm
Volts: 220-240V
Power: 2KW
Weight: 12.2Kg



FY111 Crispy Machine

Dimensions: 390x340x245mm
Volts: 220-240V
Power: 1.55KW
Weight: 9.5Kg





FD5 Donut Maker

Dimensions: 385x410x320mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Weight: 10Kg



FD6 Donut Maker

Dimensions: 385x410x320mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Weight: 8.5Kg



FD12 Donut Maker

Dimensions: 385x410x320mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Weight: 8Kg



FY210 Plum Crisp Machine

Dimensions: 360x330x245mm
Volts: 220-240V
Power: 1.55KW
Weight: 9Kg



Ultimate
Edition



FD9T Auto Doughnut Fryer

Dimensions: 980x550x330mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 36Kg



Model: FD9T-3

Dimensions: 980x550x330mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 39Kg





FY1 1-plate Takoyaki Machine

Dimensions: 540x280x200mm
Volts: 220-240V
Power: 2KW
Weight: 6.3Kg

Model: **FY1G**
Dimensions: 540x280x200mm
Weight: 6.3Kg

Liquefied Petroleum Gas, Natural Gas Can Be Customized



FY2 2-plate Takoyaki Machine

Dimensions: 470x510x180mm
Volts: 220-240V
Power: 4KW
Weight: 11Kg

Model: **FY2G**
Dimensions: 470x510x180mm
Weight: 11Kg

Liquefied Petroleum Gas, Natural Gas Can Be Customized



FY3 3-plate Takoyaki Machine

Dimensions: 675x510x180mm
Volts: 220-240V
Power: 6KW
Weight: 18Kg

Model: **FY3G**
Dimensions: 675x510x180mm
Weight: 18Kg

Liquefied Petroleum Gas, Natural Gas Can Be Customized



FC620 Chip Dump

Dimensions: 795x445x210mm
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 7Kg



FW819 Portable Food Warmer

Dimensions: 335x575x465mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
Weight: 8Kg



FC2 Cup Dispenser

Dimensions: 200x700x350mm
Model: FC3
Dimensions: 200x700x500mm
Model: FC4
Dimensions: 200x700x650mm



FC02-A Center Island

Dimensions: 1200x760x790mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
Weight: 50Kg



Model: FC02-B
Dimensions: 1500x760x790mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
Weight: 57.3Kg



FC833 Pedestal Fries Display Warmer

Dimensions: 1000x700x1580mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
Weight: 90Kg



FC8 Counter Top French Fries Display Warmer

Dimensions: 800x700x650mm
Volts: 220-240V/50-60Hz
Power: 0.6KW
Weight: 30Kg





FM900 Meat Salting Machine

Dimensions: 910x480x1030mm
Volts: 220-240V/50-60Hz
Power: 0.38KW
Weight: 59Kg



FM809 Vacuum Meat Salting Machine

Dimensions: 953x660x914mm
Volts: 220-240V/50-60Hz
Power: 0.3KW
Weight: 75Kg



FS01 Cooking Oil Filter

Dimensions: 390x650x825mm
Volts: 110V/220V/50-60Hz
Power: 0.37KW
Capacity: 40L



FB1000 Breading Table

Dimensions: 1000x700x800(950)mm



FB1200 Electric Breading Table

Dimensions: 1200x750x1100mm
Volts: 220-240V/50Hz
Power: 0.18KW
Weight: 60Kg



FB1150 Electric Breading Table

Dimensions: 1150x450x890mm
Volts: 220-240V/50Hz
Power: 0.35KW
Weight: 100Kg





F03 Manual potato chips machine

Dimensions: 380x195x240mm



FC01 Manual potato chips machine

Dimensions: 330x140x641mm

Remark: 7x7 Holes

Weight: 4.5Kg



FC003 Manual potato chips machine

Dimensions: 290x230x560mm

Weight: 6Kg



FC005 Manual potato chips machine

Dimensions: 360x180x250mm

Weight: 6Kg



FC02 Manual potato chips machine

Dimensions: 430x220x330mm

Weight: 5Kg



FC004 Electric potato chips machine

Dimensions: 290x230x560mm

Volts: 110V-60Hz/220V 50-60Hz

Power: 0.06KW

Weight: 8.6Kg





FS01 Manual Potato slicer

Dimensions: 450x150x180mm
Weight: 2.5Kg

Low cost and high profile, can be used forever, hand-shaking only by 1 people, easy to operate & clean
Raw: Stainless Steel (offer one blade extra)



FW430 Wrapping Machine

Dimensions: 460x675x155mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
Weight: 5Kg

Model: FW550

Dimensions: 585x675x155mm
Volts: 220-240V/50-60Hz
Power: 0.21KW
Weight: 7Kg



FW-A100 Hamburger Patty Press

Dimensions: 275x230x300mm
Patty Dia: 100MM
Weight: 5.2Kg

Model: FW-S130

Dimensions: 275x230x300mm
Patty Dia: 130MM
Weight: 5.8Kg



FS02 Electric Potato slicer

Dimensions: 290x230x560mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 0.01KW
Weight: 5.2Kg



FH212 Hamburger Machine

Dimensions: 406x660x290mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
Weight: 28Kg



FW-S100 Hamburger Patty Press

Dimensions: 240x210x280mm
Patty Dia: 100mm
Weight: 5.7Kg

Model: FW-S130

Dimensions: 255x270x250mm
Patty Dia: 130mm
Weight: 6.5Kg



FS220 Slicer

Dimensions: 520x460x380mm
Thickness: 0-12mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 0.15HP/0.12KW
Weight: 13.3Kg



FS250 Slicer

Dimensions: 520x460x380mm
Thickness: 0-12mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 0.2HP/0.15KW
Weight: 13.8Kg



FS300 Slicer

Dimensions: 630x530x460mm
Thickness: 0-12mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 1/3HP/0.25KW
Weight: 21.6Kg



FV55 Vegetable cutter

Dimensions: 580x300x540mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 3/4HP/0.55KW
Weight: 27.5Kg



FV60 Vegetable cutter

Dimensions: 655x315x535mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 3/4HP/0.55KW
Weight: 25Kg



FV65 Vegetable cutter

Dimensions: 655x315x535mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 3/4HP/0.55KW
Weight: 25Kg





FQ803

FQ806



FQ817

FQ825

FQ803 Full stainless steel food cutter

Dimensions: 355x310x510mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 0.37KW
Weight: 13Kg
Capacity: 3L

Model: FQ806

Dimensions: 425x365x560mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 0.55KW
Weight: 22Kg
Capacity: 6L

FQ817 Full stainless steel food cutter

Dimensions: 550x460x690mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 0.75KW
Weight: 34Kg
Capacity: 17L

Model: FQ825

Dimensions: 550x510x740mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 1.5KW
Weight: 42Kg
Capacity: 25L



FB30L Ice blender

Dimensions: 670x620x1050mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 2.2KW
Motor Speed: 2800r/min
OutPut: 30L/3-4min
Weight: 30Kg



FB832 Large cutter

Dimensions: 670x620x1050mm
Volts: 110V-60Hz/220V 50-60Hz
Power: 1.5KW
Capacity: 32L
Weight: 32Kg



TV-3L



TV-5L



TV-7L



TV-10L/15L

FT-3L	Sausage Stuffer
Dimensions:	540x330x300mm
Size:	200x149mm
Capacity:	3.53L
Weight:	11Kgs
Model: FT-5L	
Dimensions:	650x330x300mm
Size:	320x149mm
Capacity:	5.5L
Weight:	12Kgs

FT-7L	Sausage Stuffer
Dimensions:	800x330x300mm
Size:	450x149mm
Capacity:	7.9L
Weight:	13Kgs
Model: FT-10L	
Dimensions:	690x440x340mm
Size:	325x219mm
Capacity:	11L
Weight:	22Kgs



FH-3L	Sausage Stuffer
Dimensions:	470x330x300mm
Size:	200x149mm
Capacity:	3.53L
Weight:	11Kgs
Model: FH-5L	
Dimensions:	570x330x300mm
Size:	320x149mm
Capacity:	5.5L
Weight:	12Kgs
Model: FH-7L	
Dimensions:	710x330x300mm
Size:	450x149mm
Capacity:	7.9L
Weight:	13Kgs



ETV-15L



ETV-20L/25L/30L

FTV-15L	Electric Sausage filler
Dimensions:	880x420x320mm
Size:	380x260mm
Capacity:	21L
Weight:	38Kgs
Model: FTV-20L	
Dimensions:	880x450x350mm
Size:	380x260mm
Capacity:	21L
Weight:	53Kgs
Model: FTV-25L	
Dimensions:	980x510x470mm
Size:	470x260mm
Capacity:	26L
Weight:	62Kgs
Model: FTV-30L	
Dimensions:	1080x510x470mm
Size:	570x260mm
Capacity:	32L
Weight:	65Kgs

Hot Sale



FB015 Milk Mixer(1-Head)

Dimensions: 230x250x570mm
Volts: 220-240V/50-60Hz
Power: 0.3KW



FB018 Milk Mixer(2-Head)

Dimensions: 340x270x510mm
Volts: 220-240V/50-60Hz
Power: 0.6KW



FM80-1 Milk Tea Shake Machine

Dimensions: 350x320x350mm
Rotation Speed: 400R/M
Power: 0.12+0.12 / 0.12KW
Weight: 27Kg / 25Kg



FJ-168 Shaved Ice Machine

Dimensions: 380x280x450mm
Volts: 220V/50Hz
Power: 180W
Weight: 18Kg



FS-OB Shaved Ice Machine

Dimensions: 420x340x700mm
Volts: 220V/110V
Power: 0.25KW
Speed: 280r/min
Production: 90Kg/H



FS-12B Ice Shaver

Model: FS-129/118/119
Dimensions: 420x320x860mm
Volts: 220-240V/110-120V
Power: 0.35KW / 0.30KW
Rotation Speed: 250-300R/M
Juicing capacity: 90Kg/h





FA109 Ice Crusher

Dimensions: 420x180x260mm
Volts: 220V/50Hz
Power: 0.18KW
Juicing capacity: -



FI6P Ice Crusher

Dimensions: 425x200x305mm
Volts: 220-240V/50-60Hz
Power: 0.3KW
Rotation Speed: 1450R/M
Capacity: 65Kg/h
Weight: 5.5Kg



FE200 Ice Crusher

Dimensions: 390x240x340mm
Volts: 220V/50Hz
Power: 0.2KW
Juicing capacity: 110Kg/h



FS114 Stainless Steel Ice Crusher

Dimensions: 410x250x430mm
Volts: 10v-60Hz/220v 50-60Hz
Power: 0.2KW
Weight: 9Kg



FZ-SB130 Snow Cone Machine

Dimensions: 500x410x660mm
Volts: 10v-60Hz/220v 50-60Hz
Power: 0.2KW
Motor Speed: 1400r/min
Output: 180kgs/h
Weight: 18kg





FG01 16 Button Fructose Dispenser

Dimensions: 250x415x355mm
Capacity: 8L
Volts: 220~240v/50Hz~60Hz
Power: 280W



FG02 24 Button Fructose Dispenser

Dimensions: 260x360x410mm
Capacity: 8500cc
Volts: 220v/50Hz
Power: 300W



FZ07 Digital automatic cup sealing machine

Dimensions: 340x380x590mm
Output: 400-600cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 400W
Cup diameter: 95/75mm
N.W/G.W: 22Kg / 23.5Kgs



FQ08 Digital full automatic cup sealing machine

Dimensions: 340x380x590mm
Output: 400-600cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 400W
Cup diameter: 95/75mm
N.W/G.W: 26Kg / 28Kgs



F01 Manual cup sealing machine

Dimensions: 390x240x410mm
Output: 300-500cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 350W
Cup diameter: 95/75mm
N.W/G.W: 11Kg / 12Kgs



F01-S Digital manual cup sealing machine

Dimensions: 390x240x410mm
Output: 300-500cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 350W
Cup diameter: 95/75mm
N.W/G.W: 11Kg / 12Kgs





F02 Manual cup sealing machine

Dimensions: 290x240x500mm
Output: 300-500cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 350W
Cup diameter: 95/75mm
N.W/G.W: 11Kg / 12Kgs



F02S Digital manual cup sealing machine

Dimensions: 290x240x500mm
Output: 300-500cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 350W
Cup diameter: 95/75mm
N.W/G.W: 11Kg / 12Kgs



FZ06 Automatic cup sealing machine

Dimensions: 340x380x590mm
Output: 400-600cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 400W
Cup diameter: 95/75mm
N.W/G.W: 22Kg / 23.5Kgs



FQ08-SS Automatic cup sealing machine

Dimensions: 340x380x590mm
Output: 400-600cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 400W
Cup diameter: 95/75mm
N.W/G.W: 26Kg / 28Kgs



FB05-S Digital semi-automatic cup sealing machine

Dimensions: 290x280x495mm
Output: 300-500cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 350W
Cup diameter: 95/75mm
N.W/G.W: 13Kg / 14Kgs



FB05 Semi-automatic cup sealing machine

Dimensions: 290x280x495mm
Output: 300-500cups/Hour
Volts: 110v-60Hz/220v 50-60Hz
Power: 350W
Cup diameter: 95/75mm
N.W/G.W: 13Kg / 14Kgs





FW-10/15/25/30/35/40
Double-Layer Water Boiler(Heat & Warm)



FW-20A/30A/40A/55A
Single-Layer Water Boiler(Heat)



FW-8.8B/15B/20B/30B/40B
Single-Layer Water Boiler(Heat)

Boiled Water Barrel

Model	Size	Voltage	Power	Weight
FW10	Ø145x440mm	~220v	1.5KW	3.20Kg
FW15	Ø145x495mm	~220v	2.0KW	3.50Kg
FW25	Ø315x490mm	~220v	2.0KW	4.23Kg
FW30	Ø315x540mm	~220v	2.0KW	4.70Kg
FW35	Ø315x620mm	~220v	2.0KW	5.10Kg
FW40	Ø315x670mm	~220v	2.5KW	5.60Kg
FW20A	Ø255x420mm	~220v	2.0KW	2.13Kg
FW30A	Ø305x450mm	~220v	2.0KW	2.75Kg
FW40A	Ø365x470mm	~220v	2.5KW	3.33Kg
FW55A	Ø415x540mm	~220v	2.5KW	4.43Kg
FW8.8B	Ø220x420mm	~220v	1.5KW	2.00Kg
FW15B	Ø270x470mm	~220v	2.0KW	2.50Kg
FW20B	Ø270x540mm	~220v	2.0KW	3.00Kg
FW30B	Ø320x530mm	~220v	2.0KW	3.75Kg
FW40B	Ø320x580mm	~220v	2.5KW	4.30Kg



HK Electrical boiled water barrel

Model	Size	Voltage	Power	Capacity
FW12	315x315x455mm	~220v	1.5KW	12L
FW16	315x315x505mm	~220v	1.5KW	16L
FW20	315x315x555mm	~220v	1.5KW	20L
FW30	355x355x570mm	~220v	2.5KW	30L
FW35	355x355x620mm	~220v	2.5KW	35L

HK Electrical boiled water barrel

Model	Size	Power	Capacity
FW200	Ø200x350mm	1.5KW	7L
FW201	Ø240x360mm	1.5KW	10L
FW202	Ø240x450mm	1.5KW	15L
FW203	Ø280x460mm	2.0KW	20L
FW204	Ø280x510mm	2.0KW	25L
FW205	Ø320x510mm	3.0KW	30L
FW206	Ø320x550mm	3.0KW	35L
FW207	Ø360x550mm	3.0KW	40L
FW208	Ø360x600mm	3.0KW	45L

PROFESSIONAL ELECTRIC WATER BOILER

High quality stainless steel inner tank, valid and durable
High thermal efficiency, together with long service life.
Water intake pipe equipped with filter, provide you better water.
Automatic water level control system

FSW30/FSW60/FSW90/FSW120/FSW150/FSW210



Accessories:
WB30-60
Stainless Steel base:
Size: 490x430x590mm
WB90-120
Stainless Steel base:
Size: 530x490x590mm



FSW10SA/ FSW10SB/ FSW10SC



Intelligent Microcomputer Stepwise Electric Water Boiler Series

Model	Size	Voltage	Power	Productivity	Fixed capacity	Water pressure
FSW30	420x290x730mm	220v	3.0KW	30L/h	1	0.2~0.6Mpa
FSW60	420x290x730mm	380v	6.0KW	60L/h	2	0.2~0.6Mpa
FSW90	530x290x820mm	380v	9.0KW	90L/h	2	0.2~0.6Mpa
FSW120	530x290x900mm	380v	12KW	120L/h	2	0.2~0.6Mpa
FSW150	590x350x1260mm	380v	15KW	160L/h	2	0.2~0.6Mpa
FSW210	590x350x1460mm	380v	21KW	260L/h	2	0.2~0.6Mpa
FSW10SA	190x240x630mm	~220v/240v/50/60Hz	2.5KW	35L/h	1	0.2~0.6Mpa
FSW10SB	190x240x630mm	~220v/240v/50/60Hz	2.5KW	35L/h	1	0.2~0.6Mpa
FSW10SC	190x240x630mm	~220v/240v/50/60Hz	2.5KW	35L/h	1	0.2~0.6Mpa



FE1-1 Electric pizza oven

Dimensions: 910x1120x430mm
Volts: 380v
Power: 7.2KW
N.W: 70Kg



FE2-1 Electric pizza oven

Dimensions: 910x820x430mm
Volts: 380v
Power: 42.2KW
N.W: 60Kg



FE1 Electric pizza oven

Dimensions: 910x1120x750mm
Volts: 380v
Power: 14.4KW
N.W: 134Kg



FE2 Electric pizza oven

Dimensions: 910x820x750mm
Volts: 380v
Power: 8.4KW
N.W: 180Kg



FE1ST Electric Pizza Oven

Dimensions: 560x570x280mm
Packing Size: 610x570x320mm
Volts: 220-240v/50-60Hz
Power: 2KW
Temperature: 0-350°C
N.W: 24Kg



FE2ST Electric Pizza Oven

Dimensions: 560x570x440mm
Packing Size: 610x570x480mm
Volts: 220-240v/50-60Hz
Power: 3KW
Temperature: 0-350°C
N.W: 33Kg



FE2PR Electric Pizza Oven

Dimensions: 560x570x440mm
Packing Size: 610x570x480mm
Volts: 220-240v
Power: 3KW
Temperature: 0-350°C
N.W: 33Kg





FE12

Electric Conveyor Pizza Oven

Dimensions: 1100x570x360mm
Dimension: 350x1000mm
Volts: 220v-240v/50-60Hz
Power: 6.7KW
N.W: 60Kg



FG12

Gas Conveyor Pizza Oven

Dimensions: 1100x570x430mm
Dimension: 350x1000mm
Power: 12KW/Hour+0.1KW
N.W: 60Kg



FE18

Electric Conveyor Pizza Oven

Dimensions: 1560x750x360mm
Dimension: 500x1450mm
Volts: 380v
Power: 10.3KW
N.W: 96Kg



FG18

Gas Conveyor Pizza Oven

Dimensions: 1560x750x430mm
Dimension: 500x1450mm
Power: 15KW/Hour+0.1KW
N.W: 96Kg



FE32

Electric Conveyor Pizza Oven

Dimensions: 2500x1060x450mm
Dimension: 850x1800mm
Volts: 380v
Power: 25.5KW
N.W: 140Kg



FG32

Gas Conveyor Pizza Oven

Dimensions: 2200x1060x430mm
Dimension: 850x1800mm
Power: 30KW/Hour+0.2KW
N.W: 140Kg





Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO11	880x580x350mm	930x650x420mm	3.2KW	40Kg
EO12	1220x815x580mm	1270x890x590mm	6.6KW	83Kg
EO13	1650x815x580mm	1670x890x590mm	8.0KW	120Kg

Volts:220-240v/50Hz 220-240v/50Hz 220-240v/380v



Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO11	810x890x650mm	850x950x680mm	0.05KW	48Kg
GO12	1330x890x650mm	1380x950x680mm	0.05KW	150Kg
GO13	1760x890x650mm	1800x950x680mm	0.05KW	109Kg

Volts:220-240v/50Hz 220-240v/50Hz 220-240v/50Hz



Need the rack, please order additionally

Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO22	880x580x770mm	930x650x790mm	6.4KW	60Kg
EO24	1220x815x1260mm	1270x890x1290mm	13.2KW	140Kg
EO26	1650x815x1260mm	1670x890x1290mm	16KW	250Kg

Volts:220-240v/50Hz 220-240v/50Hz 220-240v/380v



Need the rack, please order additionally

Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO24	1330x890x1430mm	1380x950x1750mm	0.1KW	196Kg
GO26	1760x890x1430mm	1800x950x1750mm	0.1KW	310Kg

Volts:220-240v/50Hz 220-240v/50Hz



Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO33	880x580x1530mm	930x650x1530mm	9.6KW	90Kg
EO36	1220x815x1530mm	1270x890x1550mm	19.5KW	202Kg
EO39	1650x815x1530mm	1670x890x1550mm	25KW	268Kg

Volts:220-240v/50Hz 220-240v/50Hz 220-240v/50Hz



Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO36	1330x890x1660mm	1380x950x1750mm	0.15KW	267Kg
GO39	1760x890x1660mm	1800x950x1750mm	0.15KW	330Kg

Volts:220-240v/50Hz 220-240v/50Hz





Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO12A	1220x815x580mm	1270x890x590mm	6.6KW	85Kg
EO13A	1650x815x580mm	1670x890x590mm	8.0KW	122Kg

Volts:220-240v/50Hz 220-240v/380v



Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO12A	1330x890x650mm	1380x950x680mm	0.05KW	111Kg
GO13A	1760x890x650mm	1800x950x680mm	0.05KW	152Kg

Volts:220-240v/50Hz 220-240v/50Hz



Need the rack, please order additionally

Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO24A	1220x815x1260mm	1270x890x1290mm	13.2KW	144Kg
EO26A	1650x815x1260mm	1670x890x1290mm	16KW	254Kg

Volts:220-240v/50Hz 220-240v/380v



Need the rack, please order additionally

Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO24A	1330x890x1430mm	1380x950x1750mm	0.1KW	200Kg
GO26A	1760x890x1430mm	1800x950x1750mm	0.1KW	314Kg

Volts:220-240v/50Hz 220-240v/50Hz



Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO36A	1220x815x1530mm	1270x890x1550mm	19.5KW	208Kg
EO39A	1650x815x1530mm	1670x890x1550mm	25KW	277Kg

Volts:3N~380v/50Hz 3N~380v/50Hz



Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO36A	1330x890x1660mm	1380x950x1750mm	0.15KW	273Kg
GO39A	1330x890x1660mm	1380x950x1750mm	0.15KW	339Kg

Volts:220-240v/50Hz 220-240v/50Hz



Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO12B	1220x815x580mm	1270x890x590mm	6.6KW	85Kg
EO13B	650x815x580mm	1670x890x590mm	8.0KW	122Kg

Volts:220-240v/50Hz 220-240v/380v



Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO12B	1330x890x650mm	1380x950x680mm	0.05KW	111Kg
GO13B	1760x890x650mm	1800x950x680mm	0.05KW	152Kg

Volts:220-240v/50Hz 220-240v/50Hz



Need the rack, please order additionally

Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO24B	1220x815x1260mm	1270x890x1290mm	13.2KW	144Kg
EO26B	1650x815x1260mm	1670x890x1290mm	16KW	254Kg

Volts:220-240v/380v 3N~380v/50Hz



Need the rack, please order additionally

Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO24B	1330x890x1430mm	1380x950x1750mm	0.1KW	200Kg
GO26B	1760x890x1430mm	1800x950x1750mm	0.1KW	314Kg

Volts:220-240v/50Hz 220-240v/50Hz



Electric Oven



Model	Dimensions	Packing Size	Power	N.W
EO36B	1220x815x1530mm	1270x890x1550mm	19.5KW	208Kg
EO39B	1650x815x1530mm	1670x890x1550mm	25KW	277Kg

Volts:3N~380v/50Hz 3N~380v/50Hz



Gas Oven



Model	Dimensions	Packing Size	Power	N.W
GO36B	1330x890x1660mm	1380x950x1750mm	0.15KW	273Kg
GO39B	1760x890x1660mm	1800x950x1750mm	0.15KW	339Kg

Volts:220-240v/50Hz 220-240v/50Hz





Electric Convection Oven



Model	Dimensions	Packing Size	Power	N.W
EO07	670x650x470mm	765x730x620mm	4.5KW	36.5Kg
Volts:220-240v Aluminum Tray: 440x318MMx4pcs				



Electric Convection Oven



Model	Dimensions	Packing Size	Power	N.W
EO08	880x800x600mm	960x900x700mm	6.8KW	56Kg
Volts:220-240v/380v Aluminum Tray: 600x400MMx4pcs				

CONVECTION OVEN



Strength:

Equipped with international first-class temperature control unit, durable and stable.
Special designed high performance steam generator, especially good for baking French style bread.
Water spray circulation keeps the chamber in perfect humidity.
Digital control, multifunction meets all your need



Model	Dimensions	Volts	Power	N.W
HMR-5D-5	/	380v/3N~	12KW	/
(Tray quantity):8				



EA5 / EA8

Electric Convection Oven

Dimensions: 900x1200x760 / 900x1200x1120mm
Pan Size: 400x600x25 / 400x600x25mm
Volts: 380v/3N~
Power: 9KW / 13KW



GA5 / GA8

Gas Convection Oven

Dimensions: 900x1230x760 / 900x1230x1230mm
Pan Size: 400x600x25 / 400x600x25mm
Volts: 380v/3N~ / 220-240v/50-60Hz
Power: 0.6KW / 0.5KW



Automatic Bread Proofer



Strength:

- Temperature and humidity is very easy to control, provides ideal environment for dough fermentation.
- Automatic 24h digital control system, saving your time and energy.
- Made of food grade stainless steel, healthy, durable and easy to clean.
- Temperature rise fast, fermentation proceed fast.
- Well designed convection system makes uniform temperature distribution.



F13 / F16

Electric Proofer

Dimensions: 500x750x1540 / 500x720x1985mm
Volts: 220-240v/50-60Hz
Power: 2.4 / 2.5KW
Production: 20Kg/h / 60Kg/h
N.W: 36Kg / 45Kg



F26 / F32

Electric Proofer

Dimensions: 1010x750x1540 / 1010x730x1985mm
Volts: 220-240v/50-60Hz
Power: 2.6 / 2.7KW
Production: 40Kg/h / 120Kg/h
N.W: 70Kg / 85Kg





**DML15B / DML25B / DML50B
DML75B / DML100B / DML105B**
Dough mixer



DML15 / DML25 / DML50
Dough mixer



DMLS15 / DMLS25 / DMLS50
Dough mixer



Model	Size.mm	Voltage	Power	Capacity	Speed	Dough Amount	Weight
DML15B	680x400x800	220v/50Hz	1.5KW	30L	30R/MIN	15Kg	75Kg
DML25B	790x460x860	220v/50Hz	1.5KW	50L	30R/MIN	25Kg	90Kg
DML50B	1000x580x1050	220v/50Hz	2.2KW	100L	30R/MIN	50Kg	130Kg
DML75B	980x620x1060	220v/50Hz	4.0KW	150L	26R/MIN	75Kg	190Kg
DML100B	1060x680x1140	220v/50Hz	5.5KW	200L	24R/MIN	100Kg	200Kg
DML105B	1430x690x1400	220v/50Hz	7.5KW	300L	24R/MIN	150Kg	220Kg
DML15	680x520x700	220v/50Hz	1.5KW	30L	42R/MIN	15Kg	68Kg
DML25	800x580x740	220v/50Hz	2.2KW	50L	42R/MIN	25Kg	85Kg
DML50	920x640x920	380v/50Hz	2.2KW	100L	42R/MIN	50Kg	118Kg
DMLS15	680x520x700	220v/50Hz	1.5KW	30L	42R/MIN	15Kg	68Kg
DMLS25	800x580x740	220v/50Hz	2.2KW	50L	42R/MIN	25Kg	85Kg
DMLS50	920x640x920	380v/50Hz	2.2KW	100L	42R/MIN	50Kg	118Kg



**DL01
DL02 / DL03**
Dough mixer




**DL04
DL05 / DL06**
Dough mixer



**DL07
DL08 / DL09**
Dough mixer

Model	Size.mm	Voltage	Power	Capacity	Speed	Speed	Dough Amount	Weight
DL01	400x730x900	220v/50Hz	1.1KW	20L	22/12R/MIN	220/120R/MIN	8Kg	90Kg
DL02	450x800x1000	220v/50Hz	1.5KW	30L	22/12R/MIN	220/120R/MIN	12Kg	98Kg
DL03	470x850x1100	220v/50Hz	1.5KW	40L	22/12R/MIN	220/120R/MIN	18Kg	110Kg
DL04	400x730x900	220v/50Hz	1.1KW	20L	22/12R/MIN	220/120R/MIN	8Kg	90Kg
DL05	450x800x1000	220v/50Hz	1.5KW	30L	22/12R/MIN	220/120R/MIN	12Kg	98Kg
DL06	470x850x1100	220v/50Hz	1.5KW	40L	22/12R/MIN	220/120R/MIN	18Kg	110Kg
DL07	580x1000x1050	220v/50Hz	1.3/1.8KW	80L	18/13R/MIN	220/160R/MIN	30Kg	192Kg
DL08	740x1350x1300	220v/50Hz	1.3/1.8KW	130L	18/13R/MIN	220/160R/MIN	40Kg	295Kg
DL09	750x1350x1300	220v/50Hz	1.3/1.8KW	200L	18/13R/MIN	220/160R/MIN	50Kg	320Kg



DMS01/DMS02
Mixer



DMS03/DMS04/DMS05
Double motion and double speed mixer



DMS06
Mixer



DMS07
Mixer



DMS08/DMS09
DMS10/DMS11
Mixer

Model	Size.mm	Voltage	Power	Capacity	Speed	Barrel Speed	Dough Amount	Weight
DMS01	370x230x410	220v/50Hz	0.3KW	5L	131-852R/MIN	/	0.5Kg	25Kg
DMS02	480x300x500	220v/50Hz	0.35KW	7L	131-852R/MIN	/	0.5Kg	30Kg
DMS03	580x1000x1050	380v/50Hz	1.3/1.8KW	80L	220/160R/MIN	18/13R/MIN	30Kg	192Kg
DMS04	740x1350x1300	380v/50Hz	3/5KW	130L	200/140R/MIN	16/11R/MIN	50Kg	295Kg
DMS05	750x1350x1300	380v/50Hz	4/6.5KW	200L	200/140R/MIN	16/11R/MIN	75Kg	320Kg
DMS06	530x420x780	220v/50Hz	0.75KW	20L	113/168/400R/MIN	/	6Kg	86Kg
DMS07	530x420x780	220v/50Hz	0.8KW	20L	113/168/400R/MIN	/	6Kg	98Kg
DMS08	490x420x820	380v/50Hz	0.6KW	10L	118/234/460R/MIN	/	3Kg	61Kg
DMS09	650x480x950	380v/50Hz	1.1KW	20L	118/234/460R/MIN	/	6Kg	85Kg
DMS10	720x610x1120	380v/50Hz	1.3KW	30L	125/204/430R/MIN	/	8Kg	160Kg
DMS11	740x640x1170	220v/50Hz	1.3KW	40L	125/204/430R/MIN	/	10Kg	165Kg



MG01 / MG02
Meat grinder



MG03 / MG04
Meat grinder



MG05
Meat grinder



MG06 (Horizontal type)
MG07 (Vertical type)
Meat Slicer

Model	Size.mm	Voltage	Power	Production	Weight
MG01	370x190x410	220v/50Hz	0.8KW	120Kg/h	25Kg
MG02	430x220x420	220v/50Hz	1.1KW	220Kg/h	28Kg
MG03	200x270x390	220v/50Hz	0.8KW	220Kg/h	20Kg
MG04	200x270x400	220v/50Hz	1.1KW	180Kg/h	22Kg
MG05	600x400x820	220v/50Hz	2.2KW	150Kg/h	63Kg
MG06	620x330x660	220v/50Hz	1.5KW	120Kg/h	47Kg
MG07	320x320x510	220v/50Hz	1.5KW	120Kg/h	43Kg



TQ250 / TQ500
Meat Slicer



LM10
Meat slicer



LM11
Meat slicer



TP350/TP450
Potato peeler

Model	Size.mm	Voltage	Power	Production	Blade Quantity	Thickness	Weight
TQ250	470x270x400	220v/50Hz	0.6KW	250Kg/h	/	1.5mm	35Kg
TQ500	470x270x400	220v/50Hz	1.1KW	500Kg/h	/	1.5mm	39Kg
LM10	660x330x700	220v/50Hz	0.75KW	800Kg/h	72	1.5mm	68Kg
LM11	640x640x750	220v/50Hz	0.75KWx2	800Kg/h	136	1.5mm	125Kg
TP350	670x470x800	220v/50Hz	1.1KW	240Kg/h	/	/	75Kg
TP450	760x600x970	220v/50Hz	1.5KW	750Kg/h	/	/	110Kg



LM12 / LM13
Meat slicer



LM17 / LM18
Vegetable cutter



LM14 / LM15 / LM16
Plucker

Model	Size.mm	Voltage	Power	Production	Weight
LM12	590x590x940	220v/50Hz	1.1KW	200Kg/h	52Kg
LM13	650x650x940	220v/50Hz	1.5KW	400Kg/h	62Kg
LM14	590x590x940	220v/50Hz	1.1KW	8Kg/min	52Kg
LM15	650x650x940	220v/50Hz	1.5KW	12Kg/min	62Kg
LM16	730x730x940	220v/50Hz	2.2KW	14Kg/min	72Kg
LM17	900x460x740	220v/50Hz	0.75KW	660Kg/h	140Kg
LM18	1300x510x1050	380v/50Hz	1.5KW	1000Kg/h	380Kg





Economical single sink bench

Model	Dimensions	Bowl Size
01801	610x620x800+150mm	450x450x280mm
01802	660x670x800+150mm	500x500x280mm



Economical double sink bench

Model	Dimensions	Bowl Size
01803	1100x620x800+150mm	450x450x280mm
01804	1200x670x800+150mm	500x500x280mm



Economical triple sink bench

Model	Dimensions	Bowl Size
01805	1600x620x800+150mm	450x450x280mm
01806	1750x670x800+150mm	500x500x280mm



Single sink bench

Model	Dimensions	Bowl Size
01807	700x700x950mm	/
01808	600x600x950mm	/



Double sink bench

Model	Dimensions	Bowl Size
01809	1500x700x950mm	/
01810	1200x600x950mm	/



Triple sink bench

Model	Dimensions	Bowl Size
01811	1800x700x950mm	/
01812	1600x600x950mm	/



Single sink bench

Model	Dimensions	Bowl Size
01813	630x670x800+150mm	450x450x280mm
01814	680x720x800+150mm	500x500x280mm



Double sink bench

Model	Dimensions	Bowl Size
01815	1250x670x800+150mm	450x450x280mm
01816	1380x720x800+150mm	500x500x280mm



Triple sink bench

Model	Dimensions	Bowl Size
01817	1930x670x800+150mm	450x450x280mm
01818	2080x720x800+150mm	500x500x280mm



Single sink bench

Model	Dimensions	Bowl Size
01819	630x670x800+150mm	450x450x280mm
01820	680x720x800+150mm	500x500x280mm



Binary wash dish even things

Model	Dimensions	Bowl Size
01821	1200x750x950mm	/
01822	1500x750x950mm	/



Triple sink bench

Model	Dimensions	Bowl Size
01824	1930x670x800+150mm	450x450x280mm
01825	2080x720x800+150mm	500x500x280mm



Economical kitchen cabinet

Model	Dimensions	Note
01505	1900x900x800mm	/
01506	1800x800x800mm	/
01507	1500x800x800mm	/
01508	1500x600x800mm	/



Cabinet

Model	Dimensions	Note
01517	1900x800x800+150mm	/
01518	1800x800x800+150mm	/
01519	1500x800x800+150mm	/
01520	1100x600x800+150mm	/



Kitchen cabinet

Model	Dimensions	Note
01517	1900x800x800mm	/
01518	1800x800x800mm	/
01519	1500x600x800mm	/
01520	1100x600x800mm	/



Hang a wall to condole ark

Model	Dimensions	Bowl Size
01527	11200x350x600mm	/
01528	1500x350x600mm	/



Work table with under shelf

Model	Dimensions	Note
01529	1800x800x800mm	/
01530	1900x880x800mm	/



Work table with under shelf

Model	Dimensions	Dimensions
01532	1800x800x800mm	1500x600x800mm
01536	1500x800x800mm	1100x600x800mm
	1800x600x800mm	800x530x800mm



Work table with under shelf

Model	Dimensions	Note
01544	1500x800x800mm	/
01545	1500x600x800mm	/



Work table with under shelf

Model	Dimensions	Dimensions
01532	1800x800x800mm	1100x530x800mm
01536	1500x800x800mm	900x530x800mm
	1800x600x800mm	800x530x800mm



Work table with under shelf

Model	Dimensions	Dimensions
01625	1800x800x800mm	1500x600x800mm
01626	1500x800x800mm	1100x600x800mm
01627	1800x600x800mm	900x600x800mm



Work table with under shelf

Model	Dimensions	Dimensions
01625	1800x800x800	1500x600x800
01626	1500x800x800	1100x600x800
01627	1800x600x800	900x600x800



Work table with under shelf

Model	Dimensions	Note
01625	1800x800x800mm	/



Work table with under shelf

Model	Dimensions	Note
01657	1800x800x800mm	/
01658	2000x1000x800mm	/





Fermann
UK Quality



antartica
cold buffet station

If you are looking for an attractive and functional display or a high quality unit with exclusive styling and the most advanced technical features, **Fermann** has the solution.

Fermann introduces **antartica** models which offers a unique selection of distinctively styled **Cold Buffet Station** display units. Available in a variety of designs, sizes and configurations, allowing you to choose the best desired unit.




If you're looking for a reliable and stylish cold buffet counter, which offers excellent value for money and quality of unit, then **antartica** is the perfect solution.

antartica's cold buffet stations allows gentle flow of convected air maintains pre-chilled food at a safe regulated temperature.

antartica also provides a wide range of optional extras for the displays of units

antartica





In addition, **antartica** offers stylish and robust free-standing displays, which as the name implies are design to stand alone without the need for a counter or countertop.




antartica features:

- Excellent value for money.
- Variety of designs to choose from
- Electronic defrost for continuous 24 hour operation
- Operated by new energy saving electronic controllers.

high quality units

antartica



FF-1-1


**0.9m SS304 Tabletop
2 Layers Warming
Deli Case**

Dimension	900 x 470 x 680mm
Package Dimension	980 x 510 x 800mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	70L
Power Consumption	765W
Net Weight	50KG

FF-1-2

**1.2m SS304
Tabletop 2 Layers
Warming Deli Case**

Dimension	1200 x 470 x 680mm
Package Dimension	1280 x 510 x 800mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	94L
Power Consumption	805W
Net Weight	65KG



FF-3-1

**0.9m Tabletop 2
Layers Warming Deli
Case**

Dimension	900 x 540 x 790mm
Package Dimension	980 x 580 x 930mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	115L
Power Consumption	765W
Net Weight	80KG

FF-3-2

**1.2m Tabletop 2
Layers Warming
Deli Case**

Dimension	1200 x 540 x 790mm
Package Dimension	1280 x 580 x 930mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	155L
Power Consumption	805W
Net Weight	90KG

FF-1-1
FF-1-2
FF-1-3



FF-1-4
FF-1-5
FF-1-6



FF-1-3

1.5m SS304 Tabletop 2 Layers Warming Deli Case

1500 x 470 x 680mm
1580 x 510 x 800mm
40°C ~ 75°C
/
118L
845W
75KG

FF-1-4

0.9m SS304 Tabletop 2 Layers Refrigerated Deli Case

900 x 470 x 680mm
980 x 510 x 800mm
2°C ~ 8°C
R134a
70L
340W
83KG

FF-1-5

1.2m SS304 Tabletop 2 Layers Refrigerated Deli Case

1200 x 470 x 680mm
1280 x 510 x 800mm
2°C ~ 8°C
R134a
94L
475W
90KG

FF-1-6

1.5m SS304 Tabletop 2 Layers Refrigerated Deli Case

1500 x 470 x 680mm
1580 x 510 x 800mm
2°C ~ 8°C
R134a
118L
495W
105KG

FF-3-1
FF-3-2
FF-3-3



FF-3-4
FF-3-5
FF-3-6



FF-3-3

1.5m Tabletop 2 Layers Warming Deli Case

1500 x 540 x 790mm
1580 x 580 x 930mm
40°C ~ 75°C
/
200L
845W
110KG

FF-3-4

0.9m Tabletop 2 Layers Refrigerated Deli Case

900 x 540 x 790mm
980 x 580 x 930mm
2°C ~ 8°C
R134a
115L
420W
90KG

FF-3-5

1.2m Tabletop 2 Layers Refrigerated Deli Case

1200 x 540 x 790mm
1280 x 580 x 930mm
2°C ~ 8°C
R134a
155L
465W
105KG

FF-3-6

1.5m Tabletop 2 Layers Refrigerated Deli Case

1500 x 540 x 790mm
1580 x 580 x 930mm
2°C ~ 8°C
R134a
200L
550W
120KG



FF-4-1
FF-4-2
FF-4-3

 40°C ~ 75°C

FF-4-4
FF-4-5
FF-4-6

 2°C ~ 8°C

FF-4-1

0.9m Tabletop 2 Layers Warming
Deli Case

Dimension	900 x 540 x 790mm
Package Dimension	980 x 580 x 930mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	140L
Power Consumption	765W
Net Weight	90KG

FF-4-2

1.2m Tabletop 2 Layers Warming
Deli Case

Dimension	1200 x 540 x 790mm
Package Dimension	1280 x 580 x 930mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	190L
Power Consumption	805W
Net Weight	105KG

FF-4-3

1.5m Tabletop 2 Layers Warming
Deli Case

Dimension	1500 x 540 x 790mm
Package Dimension	1580 x 580 x 930mm
Temperature Range	40°C ~ 75°C
Refrigerant	/
Capacity	240L
Power Consumption	845W
Net Weight	120KG

FF-4-4

0.9m Tabletop 2 Layers
Refrigerated Deli Case

Dimension	900 x 540 x 790mm
Package Dimension	980 x 580 x 930mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Capacity	140L
Power Consumption	420W
Net Weight	90KG

FF-4-5

1.2m Tabletop 2 Layers
Refrigerated Deli Case

Dimension	1200 x 540 x 790mm
Package Dimension	1280 x 580 x 930mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Capacity	190L
Power Consumption	465W
Net Weight	105KG

FF-4-6

1.5m Tabletop 2 Layers
Refrigerated Deli Case

Dimension	1500 x 540 x 790mm
Package Dimension	1580 x 580 x 930mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Capacity	240L
Power Consumption	550W
Net Weight	120KG



FF-5-1
FF-5-2
FF-5-3



FF-5-1

0.9m Tabletop 3 Layers
Refrigerated Deli Case

FF-5-2

1.2m Tabletop 3 Layers
Refrigerated Deli Case

FF-5-3

1.5m Tabletop 3 Layers
Refrigerated Deli Case

Dimension	900 x 540 x 940mm	1200 x 540 x 940mm	1500 x 540 x 940mm
Package Dimension	980 x 580 x 1170mm	1280 x 580 x 1170mm	1580 x 580 x 1170mm
Temperature Range	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
Refrigerant	R134a	R134a	R134a
Capacity	165L	224L	283L
Power Consumption	500W	545W	630W
Net Weight	106KG	124KG	141KG






FF-6-1

0.9m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	900 x 730 x 1200mm
Package Dimension	970 x 770 x 1350mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	225L
Power	608W
Net Weight	165KG



FF-8-1

1.5m Floor Standing 3 Layers Refrigerated & Warming Deli Case

Dimension	1500 x 730 x 1200mm
Package Dimension	1570 x 770 x 1350mm
Temperature Range	2°C ~ 8°C / 40°C ~ 75°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	195Lx2
Power	1353W
Net Weight	240KG

FF-8-2

1.8m Floor Standing 3 Layers Refrigerated & Warming Deli Case

Dimension	1800 x 730 x 1200mm
Package Dimension	1870 x 770 x 1350mm
Temperature Range	2°C ~ 8°C / 40°C ~ 75°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	238Lx2
Power	1426W
Net Weight	275KG



FF-6-1
FF-6-2
FF-6-3



FF-6-4
FF-6-5

FF-6-2

FF-6-3

FF-6-4

FF-6-5

1.2m Floor Standing 3 Layers
Refrigerated Deli Case

1.5m Floor Standing 3
Layers Refrigerated Deli
Case

1.8m Floor Standing 3
Layers Refrigerated Deli
Case

2.4m Floor Standing 3 Layers
Refrigerated Deli Case

1200 x 730 x 1200mm

1500 x 730 x 1200mm

1800 x 730 x 1200mm

2400 x 730 x 1200mm

1270 x 770 x 1350mm

1570 x 770 x 1350mm

1870 x 770 x 1350mm

2470 x 770 x 1350mm

2°C ~ 8°C

2°C ~ 8°C

2°C ~ 8°C

2°C ~ 8°C

R134a

R134a

R134a

R134a

Danfoss

Danfoss

Danfoss

Danfoss

310L

395L

480L

650L

749W

900W

956W

1290W

200KG

225KG

260KG

330KG



FF-8-3
FF-8-4



FF-8-5
FF-8-6

FF-8-3

FF-8-4

FF-8-5

FF-8-6

2.4m Floor Standing 3 Layers
Refrigerated & Warming Deli
Case

1.5m Floor Standing 3
Layers Refrigerated &
Warming Deli Case

1.8m Floor Standing 3
Layers Refrigerated &
Warming Deli Case

2.4m Floor Standing 3 Layers
Refrigerated & Warming Deli
Case

2400 x 730 x 1200mm

1500 x 840 x 1200mm

1800 x 840 x 1200mm

2400 x 840 x 1200mm

2470 x 770 x 1350mm

1570 x 880 x 1350mm

1870 x 880 x 1350mm

2470 x 880 x 1350mm

2°C ~ 8°C / 40°C ~ 75°C

2°C ~ 8°C / 40°C ~ 75°C

2°C ~ 8°C / 40°C ~ 75°C

2°C ~ 8°C / 40°C ~ 75°C

R134a

R134a

R134a

R134a

Danfoss

Danfoss

Danfoss

Danfoss

323Lx2

225Lx2

275Lx2

375Lx2

1651W

1353W

1426W


1651W

345KG

265KG

300KG


375KG



FF-7-1

0.9m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	900 x 840 x 1200mm
Package Dimension	970 x 880 x 1350mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	260L
Power	608W
Net Weight	180KG



FF-11-1

0.9m Floor Standing 4 Layers Refrigerated Deli Case

Dimension	900 x 750 x 1350mm
Package Dimension	970 x 790 x 1520mm
Temperature Range	2°C ~ 8°C
Refrigerant	R134a
Compressor	Danfoss
Capacity	349L
Power	639W
Net Weight	210KG





FF-7-1
FF-7-2



FF-7-3
FF-7-4
FF-7-5

FF-7-2	FF-7-3	FF-7-4	FF-7-5
1.2m Floor Standing 3 Layers Refrigerated Deli Case	1.5m Floor Standing 3 Layers Refrigerated Deli Case	1.8m Floor Standing 3 Layers Refrigerated Deli Case	2.4m Floor Standing 3 Layers Refrigerated Deli Case
1200 x 840 x 1200mm	1500 x 840 x 1200mm	1800 x 840 x 1200mm	2400 x 840 x 1200mm
1270 x 880 x 1350mm	1570 x 880 x 1350mm	1870 x 880 x 1350mm	2470 x 880 x 1350mm
2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
R134a	R134a	R134a	R134a
Danfoss	Danfoss	Danfoss	Danfoss
360L	460L	560L	760L
749W	900W	956W	1290W
215KG	245KG	280KG	355KG



FF-11-1
FF-11-2
FF-11-3




FF-11-4
FF-11-5

FF-11-2	FF-11-3	FF-11-4	FF-11-5
1.2m Floor Standing 4 Layers Refrigerated Deli Case	1.5m Floor Standing 4 Layers Refrigerated Deli Case	1.8m Floor Standing 4 Layers Refrigerated Deli Case	2.4m Floor Standing 4 Layers Refrigerated Deli Case
1200 x 750 x 1350mm	1500 x 750 x 1350mm	1800 x 750 x 1350mm	2400 x 750 x 1350mm
1270 x 790 x 1520mm	1570 x 790 x 1520mm	1870 x 790 x 1520mm	2470 x 790 x 1520mm
2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
R134a	R134a	R134a	R134a
Danfoss	Danfoss	Danfoss	Danfoss
491L	633L	776L	1060L
816W	937W	1108W	1400W
250KG	290KG	330KG	410KG



FF-9-1
FF-9-2
FF-9-3



FF-9-1

1.2m Floor Standing 4 Layers Refrigerated Deli Case

FF-9-2

1.5m Floor Standing 4 Layers Refrigerated Deli Case


FF-9-3

1.8m Floor Standing 4 Layers Refrigerated Deli Case

Dimension	1200 x 730 x 1500mm	1500 x 730 x 1500mm	1800 x 730 x 1500mm
Package Dimension	1270 x 770 x 1650mm	1570 x 770 x 1650mm	1870 x 770 x 1650mm
Temperature Range	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
Refrigerant	R134a	R134a	R134a
Compressor	Danfoss	Danfoss	Danfoss
Capacity	560L	710L	860L
Power	867W	1072W	1120W
Net Weight	280KG	320KG	360KG



FF-10-1
FF-10-2
FF-10-3



FF-10-1

0.9m Floor Standing 3 Layers Refrigerated Deli Case

FF-10-2

1.2m Floor Standing 3 Layers Refrigerated Deli Case

FF-10-3

1.5m Floor Standing 3 Layers Refrigerated Deli Case

Dimension	900 x 720 x 1200mm	1200 x 720 x 1200mm	1500 x 720 x 1200mm
Package Dimension	970 x 770 x 1330mm	1270 x 770 x 1330mm	1570 x 770 x 1330mm
Temperature Range	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
Refrigerant	R134a	R134a	R134a
Compressor	Danfoss	Danfoss	Danfoss
Capacity	302L	417L	532L
Power	590W	723W	860W
Net Weight	185KG	225KG	260KG



FF-13-1
FF-13-2
FF-13-3
FF-13-4
FF-13-5



	FF-13-1	FF-13-2	FF-13-3	FF-13-4	FF-13-5
	0.9m Floor Standing 3 Layers Refrigerated Deli Case	1.2m Floor Standing 3 Layers Refrigerated Deli Case	1.5m Floor Standing 3 Layers Refrigerated Deli Case	1.8m Floor Standing 3 Layers Refrigerated Deli Case	2.4m Floor Standing 3 Layers Refrigerated Deli Case
Dimension	900 x 780 x 1200mm	1200 x 780 x 1200mm	1500 x 780 x 1200mm	1800 x 780 x 1200mm	2400 x 780 x 1200mm
Package Dimension	970 x 830 x 1330mm	1270 x 830 x 1330mm	1570 x 830 x 1330mm	1870 x 830 x 1330mm	2470 x 830 x 1330mm
Temperature Range	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C	2°C ~ 8°C
Refrigerant	R134a	R134a	R134a	R134a	R134a
Compressor	Danfoss	Danfoss	Danfoss	Danfoss	Danfoss
Capacity	269L	372L	474L	576L	780L
Power	583W	712W	848W	909W	1106W
Net Weight	185KG	225KG	260KG	300KG	375KG



ADDRESS: 27 OLD GLOUCESTER STREET, LONDON
WC1N3AX, UNITED KINGDOM
TEL.NO. :+44 20 3868 7910
EMAIL: info@fermann.uk
www.fermann.uk

Fermann
UK Quality